


1140 RBI



GRU A MONTAGGIO RAPIDO
GRUE A MONTAGE RAPIDE
GRUA DE RAPIDO MONTAJE
GRUA DE MONTAGEM RAPIDA
QUICK SELFERECTING CRANE
HYDRAULISCHER SCHNELLMONTAGEKRAN




FEM 1.001 - A3





1140 RBI


Montaggio – Montage – Erection – Montage – Montaje – Montagem



Trasporto – Transport – Transport – Transport – Transporte – Transporte



P1	kg	9000
P2	kg	16000
Ptot	kg	25000





Peso con N°2 A + assali
Weight with N°2 A + transport axles
Poids avec N°2 A + essieux de transport
Gewicht mit N°2 A + transportachsen
Peso con N°2 A + ejes de transporte
Peso com N°2 A + eixos de transporte




1140 RBI

Curve di carico – Courbes de charges – Load diagrams – LastKurven – Curvas de cargas

	<table><tr><td>3</td><td>20</td><td>39</td><td>m</td></tr><tr><td>1000</td><td>1000</td><td>1000</td><td>kg</td></tr></table>	3	20	39	m	1000	1000	1000	kg																																																																														
3	20	39	m																																																																																				
1000	1000	1000	kg																																																																																				
	<table><tr><td>11,1</td><td>12</td><td>14</td><td>16</td><td>18</td><td>20</td><td>22</td><td>24</td><td>26</td><td>28</td><td>30</td><td>32</td><td>34</td><td>36</td><td>38</td><td>40</td><td>m</td></tr><tr><td>5000</td><td>4540</td><td>3730</td><td>3150</td><td>2720</td><td>2390</td><td>2120</td><td>1910</td><td>1730</td><td>1570</td><td>1440</td><td>1330</td><td>1230</td><td>1150</td><td>1070</td><td>1000</td><td>kg</td></tr></table> <table><tr><td>12,5</td><td>14</td><td>16</td><td>18</td><td>20</td><td>22</td><td>24</td><td>26</td><td>28</td><td>30</td><td>32</td><td>34</td><td>35</td><td>m</td></tr><tr><td>5000</td><td>4320</td><td>3660</td><td>3160</td><td>2780</td><td>2470</td><td>2220</td><td>2010</td><td>1840</td><td>1690</td><td>1560</td><td>1450</td><td>1400</td><td>kg</td></tr></table> <table><tr><td>11,9</td><td>12</td><td>14</td><td>16</td><td>18</td><td>20</td><td>22</td><td>24</td><td>26</td><td>28</td><td>29.6</td><td>m</td></tr><tr><td>5000</td><td>4910</td><td>4030</td><td>3410</td><td>2950</td><td>2590</td><td>2300</td><td>2070</td><td>1880</td><td>1710</td><td>1600</td><td>kg</td></tr></table>	11,1	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	m	5000	4540	3730	3150	2720	2390	2120	1910	1730	1570	1440	1330	1230	1150	1070	1000	kg	12,5	14	16	18	20	22	24	26	28	30	32	34	35	m	5000	4320	3660	3160	2780	2470	2220	2010	1840	1690	1560	1450	1400	kg	11,9	12	14	16	18	20	22	24	26	28	29.6	m	5000	4910	4030	3410	2950	2590	2300	2070	1880	1710	1600	kg
11,1	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	m																																																																							
5000	4540	3730	3150	2720	2390	2120	1910	1730	1570	1440	1330	1230	1150	1070	1000	kg																																																																							
12,5	14	16	18	20	22	24	26	28	30	32	34	35	m																																																																										
5000	4320	3660	3160	2780	2470	2220	2010	1840	1690	1560	1450	1400	kg																																																																										
11,9	12	14	16	18	20	22	24	26	28	29.6	m																																																																												
5000	4910	4030	3410	2950	2590	2300	2070	1880	1710	1600	kg																																																																												
	<table><tr><td>20,1</td><td>22</td><td>24</td><td>26</td><td>28</td><td>30</td><td>32</td><td>34</td><td>36</td><td>38</td><td>40</td><td>m</td></tr><tr><td>2500</td><td>2250</td><td>2030</td><td>1840</td><td>1690</td><td>1550</td><td>1440</td><td>1340</td><td>1250</td><td>1170</td><td>1100</td><td>kg</td></tr></table> <table><tr><td>22,7</td><td>24</td><td>26</td><td>28</td><td>30</td><td>32</td><td>34</td><td>35</td><td>m</td></tr><tr><td>2500</td><td>2340</td><td>2130</td><td>1950</td><td>1800</td><td>1670</td><td>1550</td><td>1500</td><td>kg</td></tr></table> <table><tr><td>21,4</td><td>22</td><td>24</td><td>26</td><td>28</td><td>29.6</td><td>m</td></tr><tr><td>2500</td><td>2410</td><td>2180</td><td>1980</td><td>1810</td><td>1700</td><td>kg</td></tr></table>	20,1	22	24	26	28	30	32	34	36	38	40	m	2500	2250	2030	1840	1690	1550	1440	1340	1250	1170	1100	kg	22,7	24	26	28	30	32	34	35	m	2500	2340	2130	1950	1800	1670	1550	1500	kg	21,4	22	24	26	28	29.6	m	2500	2410	2180	1980	1810	1700	kg																														
20,1	22	24	26	28	30	32	34	36	38	40	m																																																																												
2500	2250	2030	1840	1690	1550	1440	1340	1250	1170	1100	kg																																																																												
22,7	24	26	28	30	32	34	35	m																																																																															
2500	2340	2130	1950	1800	1670	1550	1500	kg																																																																															
21,4	22	24	26	28	29.6	m																																																																																	
2500	2410	2180	1980	1810	1700	kg																																																																																	
	<table><tr><td>3</td><td>14</td><td>m</td></tr><tr><td>5000</td><td>5000</td><td>kg</td></tr></table>	3	14	m	5000	5000	kg																																																																																
3	14	m																																																																																					
5000	5000	kg																																																																																					

Reazioni – Reactions – Réactions – Eckdrücke – Reacciones – Reações



R1 ● 31 t ■ 24 t

▲ 20 t ○ 29,35 t

{ N°2 A=3600Kg (1800Kgx2)
N°2 B=2000Kg (1000Kgx2)
N°19 C=23750Kg (1250Kgx19)

● Reazioni in servizio	● Reactions in service	● Réactions en service
■ Reazioni fuori servizio	■ Reactions out of service	■ Réactions hors service
▲ Peso della gru senza assali	▲ Dead weight without transport axles	▲ Poids de construction sans essieux
○ Peso zavorra rotante	○ Ballast weight	○ Poids du lest
● Reaktionskräfte in betrieb	● Reacciones en servicio	● Em serviço
■ Reaktionskräfte außer betrieb	■ Reacciones fuera de servicio	■ Fora de serviço
▲ Kontruktionsgewicht ohne transportachse	▲ Peso de la grua sin tren de transporte	▲ Peso de la grua sem carro de transporte
○ Ballastgewicht	○ Peso de lastre	○ Peso de lastre rotativo




V12.40 Sollevamento Hoisting Levage Heben Elevaci�n Eleva��o	m/min								V15.45 11 kW (15 Hp) 20 kVA 
		t	4	15	30				
	t	2.5	2.5	1.0	0.6				
	m/min								
		2	7.5	15	27.5				
	t	5.0	5.0	2.0	1.2				

Carrello Trolleying Distribution Katzfahren Distribución Distribuição			0 → 44	m/min	4 kW
			0 → 17	m/min	4 kW

Rotazione Slewing Orientation Schwenken Orientación Rotação			1a 2a 3a		giri/min tr/min rp/min	3,7 kW
--	---	--	----------------	---	------------------------------	--------

Rete elettrica – Réseau – Mains supply – Netzstrom – Red – Alimentação	400V – 50 Hz
Potenza elettrica necessaria – Puissance électrique nécessaire Necessary electric power – Anschlusswert – Potencia electrica necesaria	V15.45 – 24kVA
Conforme alla direttiva 2000/14/CE sul livello acustico Conforme à la directive 2000/14/CE sur le niveau acoustique In compliance with the 2000/14/CE instruction on noise level Germäss EWG-Richtlinie 2000/14/CE über Schall-Leistungspegel Conforme con la directiva 2000/14/CE sobre el nivel acustico	FEM 1.001–A3

AFM Gru FMgru s.r.l.
via Emilia 11-29010 Pontenure PC ITALY
tel. 0523/510446 ric.aut. fax 0523/510365
www.fmgru.it e-mail: info@fmgru.com



Unverbindliches Vertriebsdokument.
Für technische Informationen, siehe die
entsprechenden Anweisungen.

This commercial document is not legally binding. For any technical information, please refer to the corresponding instructions.

Documento comercial no contractual
Para cualquier información técnica,
ver la noticia correspondiente.

15ICA37B90A1			
Ed.	Data	Rev	Data
1	14.04.11	3	07.06.13