




1245 CTY

Torre/Reazioni - Masts/Reactions - Mat/Réactions - Maste/Eckdrücke - Mástil/Reacciones - Tramo/Reações

S1210


33 m → 45 m



H=37-42 m	
R1	
R2	69 t
R3	40 t
M	185 tm

H=24-36 m	
R1	53 t
R2	53 t
R3	25.6 t
M	116 tm

H=0-23 m	
R1	49 t
R2	47 t
R3	22 t
M	80 tm




Peso zavorra - Ballast weight - Poids du lest - Ballastgewicht - Peso de lastre



H	n°	Tot.
0-18 m	12 A-B	36000 kg
19-36 m	18 A-B	54000 kg
37-42 m	24 B	72000 kg

	A	B
L	3.6m	4.0m
k	0.3m	1.2m
d	1.15m	0.19m






1245 CTY

Torre/Reazioni - Masts/Reactions - Mat/Reactions - Maste/Eckdrücke - Mástil/Reacciones - Tramo/Reacções

S1700


33 m → 45 m



H=46-58 m
R1 106 t
R2 106 t
R3 95 t
M 336 tm

H=36-45 m
R1 72 t
R2 72 t
R3 61 t
M 194 tm



H=0-35 m
R1 65 t
R2 65 t
R3 54 t
M 156 tm



Peso zavorra - Ballast weight - Poids du lest - Ballastgewicht - Peso de lastre



H	n°	Tot.
0-35 m	2C+ 180	60800 kg
36-45 m	2C+ 220	72000 kg
46-58 m	2C+ 320	105000 kg

























1245 CTY

Curve di carico - Courbes de charges - Load diagrams - LastKurven - Curvas de cargas











Pmax 2500 kg

	12000 kg		45 m	2	23	25	27	29	31	33	35	37	39	41	43	45	m
				2500	2500	2300	2000	1900	1800	1550	1450	1350	1200	1150	1050	1200	kg
	12000 kg		43 m	2	23	25	27	29	31	33	35	37	39	41	43		m
				2500	2500	2200	2100	1950	1820	1700	1600	1450	1400	1320	1300		kg
	9600 kg		39 m	2	23	25	27	29	31	33	35	37	39				m
				2500	2500	2200	2100	1950	1820	1700	1600	1450	1400				kg
	9600 kg		37 m	2	23	25	27	29	31	33	35	37					m
				2500	2500	2250	2150	2000	1920	1800	1700	1550					kg
	9600 kg		33 m	2	23	25	27	29	31	33							m
				2500	2500	2330	2230	2130	2000	1900							kg

Pmax 3000 kg

	12000 kg		45 m	2	19	21	23	25	27	29	31	33	35	37	39	41	43	45	m
				3000	3000	2800	2500	2300	2000	1900	1800	1550	1450	1350	1200	1150	1050	1200	kg
	12000 kg		43 m	2	19	21	23	25	27	29	31	33	35	37	39	41	43		m
				3000	3000	2750	2500	2200	2100	1950	1820	1700	1600	1450	1400	1320	1300		kg
	9600 kg		39 m	2	19	21	23	25	27	29	31	33	35	37	39				m
				3000	3000	2750	2500	2200	2100	1950	1820	1700	1600	1450	1400				kg
	9600 kg		37 m	2	19	21	23	25	27	29	31	33	35	37					m
				3000	3000	2800	2550	2250	2150	2000	1920	1800	1700	1550					kg
	9600 kg		33 m	2	19	21	23	25	27	29	31	33							m
				3000	3000	2880	2630	2330	2230	2130	2000	1900							kg

Pmax 4000/2000 kg

	12000 kg		45 m	2	15	17	19	21	23	25	27	29	31	33	35	37	39	41	43	45	m
				4000	4000	3520	3200	2800	2500	2300	2000	1900	1800	1550	1450	1350	1200	1150	1050	1200	kg
	12000 kg		43 m	2	16	17	19	21	23	25	27	29	31	33	35	37	39	41	43		m
				4000	4000	3600	3150	2750	2500	2200	2100	1950	1820	1700	1600	1450	1400	1320	1300		kg
	9600 kg		39 m	2	16	17	19	21	23	25	27	29	31	33	35	37	39				m
				4000	4000	3600	3150	2750	2500	2200	2100	1950	1820	1700	1600	1450	1400				kg
	9600 kg		37 m	2	16	17	19	21	23	25	27	29	31	33	35	37					m
				4000	4000	3650	3200	2800	2550	2250	2150	2000	1920	1800	1700	1550					kg
	9600 kg		33 m	2	16	17	19	21	23	25	27	29	31	33							m
				4000	4000	3730	3280	2880	2630	2330	2230	2130	2000	1900							kg







1245 CTY

Montaggio — Montage — Erection — Montage — Montaje — Montagem

X (m)	kg
3,2x3,2	2300kg
3,8x3,8	4500kg
4,5x4,5	3800kg

S1210	
(m)	(kg)
3	610
6	1500
12	2500

S1700	
(m)	(kg)
3,9	1600
5,2	2100
11,7	4200





1245 CTY

Meccanismi — Mechanisms — Mécanismes — Antriebe — Mecanismos

Sollevamento S15.40 e V15.40 Hoisting Lavage Heben Elevación Elevação			1a	4 m/min	2500 kg	11 kW	S15.40	
2a			20 m/min	2500 kg	22 kVA			
3a			40 m/min	1200 kg	V15.40			
Sollevamento S20.60 e V20.60 Hoisting Lavage Heben Elevación Elevação				1a	7 m/min	2500 kg	14.7 kW	S20.60
				2a	28 m/min	2500 kg		28 kVA
				3a	56 m/min	1200 kg		V20.60
Sollevamento S20.40 e V20.40 Hoisting Lavage Heben Elevación Elevação				1a	4 m/min	3000 kg	14.7 kW	S20.40
				2a	20 m/min	3000 kg		28 kVA
				3a	40 m/min	1500 kg		V20.40
Sollevamento S25.60 e V25.60 Hoisting Lavage Heben Elevación Elevação			1a	7 m/min	3000 kg	18.5 kW	S25.60	
			2a	28 m/min	3000 kg		34 kVA	
			3a	56 m/min	1500 kg		V25.60	
Sollevamento S15.40 e V15.40 Hoisting Lavage Heben Elevación Elevação				1a	4 m/min	2000 kg	11 kW	S15.40
				2a	20 m/min	2000 kg		22 kVA
				3a	40 m/min	1200 kg		V15.40
				1a	2 m/min	4000 kg	20 kVA	
				2a	10 m/min	4000 kg		
				3a	20 m/min	2400 kg		
Sollevamento S20.60 e V20.60 Hoisting Lavage Heben Elevación Elevação				1a	7 m/min	2000 kg	14.7 kW	S20.60
				2a	28 m/min	2000 kg		28 kVA
				3a	56 m/min	1200 kg		V20.60
				1a	3.5 m/min	4000 kg	24 kVA	
				2a	14 m/min	4000 kg		
				3a	28 m/min	2400 kg		
Carrello Trolleying Distribution Katzfahren Distribución Distribuição			1a	OP 5 m/min	4000 kg	2.2 kW	Potenza elettrica necessaria Puissance électrique nécessaire Necessary electric power Anschlusswert = Potencia	
			2a	25 m/min	4000 kg			
			3a	50 m/min	2000 kg			
Rotazione Slewing Orientation Schwenken Orientación Rotação			1a	0 → 0.2	giri/min tr/min rp/min	2.2 kW @ 1200rpm		
			2a	0 → 0.6				
			3a	0 → 0.9				
Traslazione Travelling Translation Kranfahren Traslación Traslação			1a	0 → 20	3.7 kW			

Rete elettrica — Réseau — Mains supply — Netzstrom — Red — Rede electrica

400V — 50 Hz



FMgru s.r.l.
via Emilia 11—29010 Pontenure PC ITALY
tel. 0523/510446 ric.aut. fax 0523/510365
www.fmgru.com e-mail: info@fmgru.com

FEM 1.001
2000/14/CE



Documento commerciale non contrattuale
Par tutte le informazioni tecniche riferirsi
alle corrispondenti istruzioni

Unverbindliches Vertriebsdokument.
Für technische Informationen, siehe die
entsprechenden Anweisungen.

This commercial document is not legally
binding. For any technical information, please
refer to the corresponding instructions.

Documento comercial no contractual
Para cualquier información técnica,
ver la noticia correspondiente.

Code: 19CA37068AD
[6] [data] [rev] [data]
[1] [05.06.03] [05.06.03]