





1250 CTY






S1210




H=24–36 m	
R1	55 t
R2	55 t
R3	37 t
M	116 tm

H=0-23 m	
R1	45 t
R2	43 t
R3	39 t
M	101 tm




Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre



3.2x3.2	H	n*	Tot.
	0-27 m	18 A	54000 kg

	A	B
L	3.6m	4.0m
k	0.3m	0.19m
d	1.15m	1.2m






1250 CTY

Torre/Reazioni - Masts/Reactions - Mat/Réactions - Maste/Eckdrücke - Măstil/Reacciones - Tramo/Reacções

S1700


39.6 m → 50 m



H=46-58 m
R1 106 t
R2 106 t
R3 95 t
M 336 tm

H=36-45 m
R1 72 t
R2 72 t
R3 61 t
M 194 tm



H=0-35 m
R1 65 t
R2 65 t
R3 54 t
M 156 tm



Peso zavorra - Ballast weight - Poids du lest - Ballastgewicht - Peso de lastre



H	n°	Tot.
0-35 m	2C+ 18D	60800 kg
36-45 m	2C+ 22D	72000 kg
46-58 m	2C+ 32D	105000 kg

















1250 CTY

Curve di carico – Courbes de charges – Load diagrams – LastKurven – Curvas de cargas

Pmax 3000 kg

	14400 kg		2	22	24	26	28	30	32	34	36	38	40	42	44	46	48	52	m
			3000	3000	2790	2550	2350	2180	2020	1890	1770	1660	1570	1480	1400	1330	1260	1000	kg
	14400 kg		2	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	m
			3000	3000	2790	2550	2350	2180	2020	1890	1770	1660	1570	1480	1400	1330	1260	1200	kg
	14400 kg		2	2	26	28	30	32	34	36	38	40	42	44	46	48	m		
			3000	3000	3000	2760	2560	2380	2230	2090	1960	1850	1750	1660	1580	1500	kg		
	14400 kg		2	2	26	28	30	32	34	36	38	40	42	44	45	m			
			3000	3000	3000	2730	2530	2360	2200	2070	1940	1830	1730	1640	1600	kg			
	12000 kg		2	2	26	28	30	32	34	36	38	40	42	m					
			3000	3000	3000	2830	2630	2450	2290	2190	2020	1900	1800	kg					
	9600 kg		2	2	27	28	30	32	34	36	38	39.6	m						
			3000	3000	3000	2890	2680	2500	2330	2190	2060	2000	kg						



Pmax 6000/3000 kg

	14400 kg		2	13	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	52	m
			6000	6000	4310	3810	3400	3000	2790	2550	2350	2180	2020	1890	1770	1660	1570	1480	1400	1330	1260	1000	kg
	14400 kg		2	13	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	m
			6000	6000	4310	3810	3400	3000	2790	2550	2350	2180	2020	1890	1770	1660	1570	1480	1400	1330	1260	1200	kg
	14400 kg		2	15	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	m	
			6000	6000	5300	4440	3970	3590	3760	3000	2760	2560	2380	2230	2090	1960	1850	1750	1660	1580	1500	kg	
	14400 kg		2	15	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	45	m		
			6000	6000	5200	4400	3930	3550	3230	3000	2730	2530	2360	2200	2070	1940	1830	1730	1640	1600	kg		
	12000 kg		2	15	16	18	20	22	24	26	28	30	32	34	36	38	40	42	m				
			6000	6000	5400	4550	4070	3680	3350	3000	2830	2630	2450	2290	2190	2020	1900	1800	kg				
	9600 kg		2	15	16	18	20	22	24	26	28	30	32	34	36	38	39.6	m					
			6000	6000	5300	4640	4150	3750	3420	3130	2890	2680	2500	2330	2190	2060	2000	kg					



Pmax 6000 kg

	14400 kg		2	13	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	52	m
			6000	6000	4310	3810	3400	3000	2790	2550	2350	2180	2020	1890	1770	1660	1570	1480	1400	1330	1260	1000	kg
	14400 kg		2	13	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	m
			6000	6000	4310	3810	3400	3000	2790	2550	2350	2180	2020	1890	1770	1660	1570	1480	1400	1330	1260	1200	kg
	14400 kg		2	15	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	m	
			6000	6000	5300	4440	3970	3590	3760	3000	2760	2560	2380	2230	2090	1960	1850	1750	1660	1580	1500	kg	
	14400 kg		2	15	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	45	m		
			6000	6000	5200	4400	3930	3550	3230	3000	2730	2530	2360	2200	2070	1940	1830	1730	1640	1600	kg		
	12000 kg		2	15	16	18	20	22	24	26	28	30	32	34	36	38	40	42	m				
			6000	6000	5400	4550	4070	3680	3350	3000	2830	2630	2450	2290	2190	2020	1900	1800	kg				
	9600 kg		2	15	16	18	20	22	24	26	28	30	32	34	36	38	39.6	m					
			6000	6000	5300	4640	4150	3750	3420	3130	2890	2680	2500	2330	2190	2060	2000	kg					









1250 CTY

X (m)	kg
3,2x3,2	2300kg
3,8x3,8	4500kg
4,5x4,5	3800kg

S1210	
(m)	(kg)
3	610
6	1500
12	2500

S1700	
(m)	(kg)
3,9	1600
5,2	2100
11,7	4200





1250 CTY

Meccanismi — Mechanisms — Mécanismes — Antriebe — Mecanismos

Sollevamento S20.40 e V20.40 Hoisting Levage Heben Elevaci�n Eleva�o			1a	4 m/min	3000 kg	14.7 kW	S20.40 32 kVA V20.40 28 kVA	
2a			20 m/min	3000 kg				
3a			40 m/min	1500 kg				
		1a	2 m/min	6000 kg				
		2a	10 m/min	6000 kg				
		3a	20 m/min	3000 kg				
Sollevamento S2560 e V25.60 Hoisting Levage Heben Elevaci�n Eleva�o			1a	7 m/min	3000 kg	18.5 kW	S25.60 38kVA V25.60 33 kVA	
			2a	28 m/min	3000 kg			
			3a	56 m/min	1500 kg			
			1a	3.5 m/min	6000 kg			
			2a	14 m/min	6000 kg			
			3a	28 m/min	3000 kg			
Sollevamento V45.60 Hoisting Levage Heben Elevaci�n Eleva�o			1a	2 m/min	6000 kg	33 kW	V45.60 50 kVA	
			2a	20 m/min	6000 kg			
			3a	31 m/min	5000 kg			
			4a	46 m/min	3200 kg			
			5a	60 m/min	2500 kg			
Carrello Trolleying Distribution Katzfahren Distribuci�n Distribui�o			1a	OP 5 m/min	6000 kg	3 kW	Potenza elettrica necessaria Puissance �lectrique n�cessaire Necessary electric power Anschlusswert Potencia	
2a			25 m/min	6000 kg				
3a			50 m/min	3000 kg				
Rotazione Slewing Orientation Schwenken Orientaci�n Rota�o			1a	0 � 0.2	giri/min tr/min rp/min	4.4 kW @ 1200rpm n� 2 x 2.2 kW		
			2a	0 � 0.6				
			3a	0 � 0.9				
Traslazione Travelling Translation Kranfahren Traslaci�n Transla�o			1a	OP 0 � 5		3.7 kW		
			2a	0 � 20				

Rete elettrica — Réseau — Mains supply — Netzstrom — Red — Rede electrica 400V — 50 Hz



FMgru s.r.l.
via Emilia 11—29010 Pontenure PC ITALY
tel. 0523/510446 ric.aut. fax 0523/510365
www.fmgru.com e-mail: info@fmgru.com

FEM 1.001
2000/14/CE



Documento commerciale non contrattuale
Per tutte le informazioni tecniche riferirsi
alle corrispondenti istruzioni

Unverbindliches Vertriebsdokument.
Für technische Informationen, siehe die
entsprechenden Anweisungen.

This commercial document is not legally
binding. For any technical information, please
refer to the corresponding instructions.

Documento comercial no contractual
Para cualquier información técnica,
ver la notificación correspondiente.

Code: 19CA37C080AD
Ed. Data: Rev. Data:
i 05.06.03 o 05.06.03