


# 2560 TCK P12



○  $H=68.9$  m  
■  $H=44.2$  m


- SK1700 - 1.70x1.70 m
- SN2050 - 2.05x2.05 m

H=Altezza sotto gancio  
H=Height under hook  
H=Hauteur sous crochet








 45 m      65 m

Torre/Masts/Mat/Maste/Mästil/Tramo																
 CAF	H[m]	4f/4f BF117	4f/4f BF052	4f/4f BF039	4f/2f SB117	4f/2f SB052	4f/2f SB039	2f/2f ST117	2f/2f ST052	2f/2f ST039	2f/2f STB117	2f/2f STB039	2f/2f RA039	4f/2f SBB039	4f/2f SBB117	
	44.2				1			2		1						
	41.6					1			6							
	*	44.2											8	1	1	
	*	44.2											6	1		1

H=0-45 m	
R1	
R2	106 t
R3	95 t
M	336 tm



	H	Tot.
	0-45 m	105600 kg





# 2560 TCK



Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mästil/Reacciones – Tramo/Reacções



SN2050




45 m —→ 65 m

Torre/Masts/Mat/Maste/Mästil/Tramo												
<div>TRO</div> 	H[m]	4f/4f BF117	4f/4f BF052	4f/4f BF039	4f/2f SB117	4f/2f SB052	4f/2f SB039	2f/2f ST117	2f/2f ST052	2f/2f ST039	2f/2f STB117	2f/2f STB039
	63.7	1	1		1			3				
	62.4		4			1			7			
	57.2	1	1			1		1		6		
<div>TTD</div> 	H[m]	4f/4f BF117	4f/4f BF052	4f/4f BF039	4f/2f SB117	4f/2f SB052	4f/2f SB039	2f/2f ST117	2f/2f ST052	2f/2f ST039	2f/2f STB117	2f/2f STB039
	63.7		4									9
	63.7	1	1									8
	63.7	1	1									1


Torre/Masts/Mat/Maste/Mästil/Tramo												
<div>BA052</div> 	H[m]	4f/4f BF117	4f/4f BF052	4f/4f BF039	4f/2f SB117	4f/2f SB052	4f/2f SB039	2f/2f ST117	2f/2f ST052	2f/2f ST039	2f/2f STB117	2f/2f STB039
	68.9	1	1		1			3				
	67.6		4			1			7			
	63.7	1	1			1				6		
<div>CAF</div> 	H[m]	4f/4f BF117	4f/4f BF052	4f/4f BF039	4f/2f SB117	4f/2f SB052	4f/2f SB039	2f/2f ST117	2f/2f ST052	2f/2f ST039	2f/2f STB117	2f/2f STB039
	68.9		4									9
	68.9	1	1									8
	68.9	1	1									1


Torre/Masts/Mat/Maste/Mästil/Tramo												
<div>BA052</div> 	H[m]	4f/4f BF117	4f/4f BF052	4f/4f BF039	4f/2f SB117	4f/2f SB052	4f/2f SB039	2f/2f ST117	2f/2f ST052	2f/2f ST039	2f/2f STB117	2f/2f STB039
	61.1	1	1		1			2		1		
	59.8		4			1			7			
	58.5	1	1			1				8		
<div>CATR</div> 	H[m]	4f/4f BF117	4f/4f BF052	4f/4f BF039	4f/2f SB117	4f/2f SB052	4f/2f SB039	2f/2f ST117	2f/2f ST052	2f/2f ST039	2f/2f STB117	2f/2f STB039
	61.1		4									7
	61.1	1	1									6
	61.1	1	1									1



H=0–45 m		H=46–68 m	
R1	125 t	R1	140 t
R2	130 t	R2	144 t
R3	95 t	R3	103 t
M	486 tm	M	570 tm

Peso zavorra–Ballast weight–Poids du lest  
Ballastgewicht–Peso de lastre



	H	Tot.
	0–55 m	102320 kg
	56–69 m	112460 kg






---

































P<sub>max</sub> 6000 kg






# 2560 TCK





















PESI E INGOMBRI – PACKING LIST – LISTE DE COLISAGE – GEWICHT UND ABMESSUNGEN

Denominazione Description	Disegno Draw	Pezzi Pieces	Dimensioni-Dimensions (mm)			Peso-Weight (kg)			
			L	W	H	Unit	Total		
Elemento di braccio Jib element Elèment de èche Elemento de flecha	n°1			1	5760	1440	1600	1100	—
	n°2			1	5820	1400	1470	820	—
	n°3			1	5860	1400	1470	840	—
	n°4			1	5860	1400	1470	780	—
	n°5			1	5860	1400	1470	740	—
	n°6			1	5850	1400	1470	720	—
	n°7			1	5820	1400	1470	720	—
	n°8			1	5820	1400	1470	760	—
	n°9			1	5850	1400	1450	700	—
	n°10			1	5740	1400	1450	520	—
	n°11			1	5770	1400	1450	500	—
	n°12			1	4350	1400	1450	390	—
	Punta			1	800	1400	1400	170	—
Tirante completo Complete tie rod Tirant complète Tirante completo			12	6500	200	200	240	3540	
Cuspide Cusp Pointre Cùspide			1	8300	1500	1000	2900	—	
Contorbraccio completo Complete counterjib Contreflèche complète Contraflecha completa			1	9300	1650	600	2000	—	
Gruppo girevole Slewing group Table tournante Grupo giratorio			SK1700	1	5100	1810	1400	6500	—
			SN2050	1	5100	1810	1400	6800	—
Carrello Trolley Chariot Carretilla			1	1900	1620	1000	400	—	
Ballatoio con cabina Access balcony with cabin Porte cabine Balcòn corrido con cabina			1	2500	2150	2450	1000	—	



# 2560 TCK


PESI E INGOMBRI – PACKING LIST – LISTE DE COLISAGE – GEWICHT UND ABMESSUNGEN

Denominazione Description	Disegno Draw	Pezzi Pieces	Dimensioni—Dimensions (mm)			Peso—Weight (kg)		
			L	W	H	Unit	Total	
Blocchi contrappeso Counterweight block Contre—poids Bloques de contrapeso	VX28 	11	1100	280	3700	2840	31240	
Elemento di torre Mast element Elément de mature Elemento de torre	ST039 	SK1700	—	3900	1785	1785	1750	—
		SN2050	—	3900	2110	2110	2320	—
	ST052 	SK1700	—	5200	1785	1785	2250	—
		SN2050	—	5200	2110	2110	2850	—
	ST117 	SK1700	—	11700	1785	1785	4690	—
		SN2050	—	11700	2110	2110	5790	—
	SB039 	SK1700	—	3900	1785	1785	2100	—
		SN2050	—	3900	2110	2110	2710	—
	SB052 	SK1700	—	5200	1785	1785	2600	—
		SN2050	—	5200	2110	2110	3350	—
	SB117 	SK1700	—	11700	1785	1785	4830	—
		SN2050	—	11700	2110	2110	7000	—
	BF039 	SK1700	—	3900	1785	1785	2450	—
		SN2050	—	3900	2110	2110	3370	—
	BF052 	SK1700	—	5200	1785	1785	3390	—
		SN2050	—	5200	2110	2110	3880	—
BF117 	SK1700	—	11700	1785	1785	6920	—	
	SN2050	—	11700	2110	2110	8180	—	
Elemento di base Base element Mat de base Elemento de base	BA052 	SK1700	1	5200	2060	2060	3650	—
		SN2050	1	5200	2260	2260	4040	—
Carro di base Base carriage Chassis de base Cruceta de base		5x5	1	7550	670	780	2300	2300
		6x6	1	8870	670	780	2500	2500
		5x5	2	3530	420	780	1060	2120
		6x6	2	4320	420	780	1200	2400
Puntoni di base Rafter Jambes de force Cabrios de base		5x5	4	4250	240	300	280	1120
		6x6	4	4560	420	300	420	1680
Elemento a perdere Disposable frame Chassis a perdre Bastidor desechable		SK1700	1	1840	1910	1910	1430	—
		SN2050	1	2600	2260	2260	2030	—
Elemento recuperabile Recoverable frame Chassis récupérable Bastidor recuperable		SK1700	1	1300	2170	2170	1720	—
		SN2050	1	1300	2620	2620	1860	—
Bogie di traslazione Driven bogie Boggie motorisèe Balancin de traslaciòn		4	1160	700	600	700	2800	
Blocco zavorra di base Base ballast block Lest de base Blocque de lastre		5x5	2	5300	1000	600	7300	14600
		6x6	2	6400	1200	600	10600	21200
		5x5	—	4100	1600	300	3500	—
		6x6	—	4800	2000	300	5070	—
Corsoio di montaggio Climbing cage Cage de montage Jaula de montaje		SK1700	1	8300	2600	2500	6000	—
		SN2050	1	8300	2900	2700	6700	—





# 2560 TCK

GRU IN CAVEDIO – TELESOPAGE SUR DALLES – CLIMBING CRANE – KLETTERKRANE IM GEBAUDE




SN2050	H (m)	A (m)	R (t)	P (t)
	9	45.3		
	10	42		
	11	39.3		
	12	37		
	13	35		
	14	33.4		
	15	32		
	16	30.7		
	17	29.6		
	18	28.6		
Apertura passaggio gru Opening for crane passing 	19	27.8		
	20	27		


\* SOPRALZO IDRAULICO – TELESOPABLE – EXTERNAL CLIMBING – KLETTERKRANE



	SK1700	SN2050
C	27.3 m	31.2 m.
B	15.6 m	19.5 m
A	39.5 m	50 m
T	23.4 t	27.5 t
MT	26 t xm	26 t xm






Montaggio – Montage – Erection – Montage – Montaje – Montagem










2560 TCK

Meccanismi – Mechanisms – Mécanismes – Antriebe – Mecanismos

Sollevamento V45.60 Hoisting Levage Heben Elevaciòn Elevaçao														V45.60 33 kW 57 kVA  270 m 500 m (L)
	m/min	3	14	30	45	60	72	1.5	7	15	22.5	30	36	
	t	6	6	6	3.5	2.4	1.4	12	12	12	7	4.8	2.8	
														

Sollevamento V100.130 Hoisting Levage Heben Elevaciòn Elevaçao														V100.130 75 kW 110 kVA  360 m 750 m (L)
	m/min	6	28	54	86	115	130	3	14	27	43	57	65	
	t	6	6	6	4	2.8	1.4	12	12	12	8	5.6	2.8	
														

Carrello Trolleying Distribution Katzfahren Distribuciòn Distribuição			0 → 100	m/min	5.5 kW	Potenza elettrica necessaria Puissance électrique nécessaire Necessary electric power Anschlusswert – Potencia
Rotazione Slewing Orientation Schwenken Orientaciòn Rotação			0 → 0,9	giri/min tr/min rp/min	6.6 kW @ 1200rpm n° 3 x 2.2 kW	
Traslazione Travelling Translation Kranfahren Traslaciòn Translação			0 → 20	m/min	7.5 kW	

Rete elettrica – Réseau – Mains supply – Netzstrom – Red – Rede electrica	400V – 50 Hz
---	--------------

Rete elettrica – Réseau – Mains supply – Netzstrom – Red – Rede electrica	400V – 50 Hz
---	--------------

 FMgru s.r.l. via Emilia 11–29010 Pontenure PC ITALY tel. 0523/510446 ric.aut. fax 0523/510365 www.fmgru.it e-mail: info@fmgru.com	FEM 1.001 2000/14/CE	
--	-------------------------	--



Documento commerciale non contrattuale  
Per tutte le informazioni tecniche riferirsi  
alle corrispondenti istruzioni

Unverbindliches Vertriebsdokument.  
Für technische Informationen, siehe die  
entsprechenden Anweisungen.

This commercial document is not legally  
binding. For any technical information, please  
refer to the corresponding instructions.

Documento comercial no contractual  
Para cualquier información técnica,  
ver la noticia correspondiente.

Code: 15ICA37K45A1			
Ed.	Date	Rev	Date
1	05.06.03	3	22.03.10