



2 m

 $2.5 \, m$

2.8 m

6.3 m

5.3 m

726 RBI Montaggio — Montage — Erection — Montage -Montaje m35 22 m 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 Trasporto - Transport - Transport - Transport - Transporte 12.3 m 3.18 m kg P2 Ptot

 $2.5 \, m$






726 RBI

Curve di carico — Courbes de charges — Load diagrams — LastKurven — Curvas de cargas															
TRIPHASE	-Œ 400 V	3 600	21 600	23 600	25 600	m kg	MONOTRI	PHASE	-Œ 230)/400V	3 500	21 500	23 500	25 500	m kg
TRIPHASE	- ⊂ ≣ 400 V	3 2000	10.8 2000	12 1765	14 1465	16 1250	18	20 950	22 850	24 760	26 700	m kg			
		3 2000	11.8 2000	12 1930	14 1600	16 1365	18 1185	20 1045	22 930	24 850	m kg				
		3 2000	12.4 2000	14 1720	16 1480	18 1230	20	22 1000	m kg						
MONOTRIPHASE	-Œ 230/400V	3 1500	13 1500	14 1465	16 1250	18 1080	20	22 850	24 760	26 700	m kg				
		3 1500	15 1500	16 1365	18 1185	20 1045	22 5 930	24 850	m kg						
		3 1500	15.5 1500	16 1480	18 1230	20 1100	22	m kg							
TRIPHASE	-Œ 400 V	3 2000	12 2000	m kg			MONOTE	₹ RIPHASE	- 230)/400V	3 1500	12 1500	m kg		

Reazioni - Reactions - Réactions - Eckdrücke - Reacciones - Reacções



R1 ● 11.2 t ■ 7.7 t

4 8.2 t O 13.4 t

- Reazioni in servizio
- Reazioni fuori servizio
- AN Peso della gru senza assali
- O Peso zavorra rotante
- Reactions in service
- Reactions out of service
- **⚠** Dead weight without transport axles
- O Ballast weight

- Réactions en service
- Réactions hors service
- A Poids de construction sans essieux
- O Poids du lest

• Em serviço

- Reaktionskräfte in betrieb
- Reaktionskräfte außer betrieb
- Reacciones fuera de servicio

• Reacciones en servicio

- Fora de serviço
- 🗥 Kontruktionsgewicht ohne transportachse 🗥 Peso de la grua sin tren de transporte 🗥 Peso de la grua sem carro de transporte

O Ballastgewitcht

O Peso de lastre


O Peso de lastre rotativo






726 RBI

Mécanismes -Antriebe — Mecanismos — Montagem Meccanismi - Mechanisms -





Carrello Trolleying Distribution Katzfahren Distribuciòn Distribuiçao	∢■ ▶	1a 1a 2a	0>30	m/min	1.85 kW (2.5 Hp)
Rotazione Slewing Orientation Schwenken Orientaciòn Rotaçao	ر•)		0	giri/min tr/min rp/min	2.2 kW (3 Hp)

Rete elettrica — Réseau — Mains supply — Netzst	400V - 50 Hz	
Potenza elettrica necessaria — Puissance èlectr Necessary electric power — Anschlusswert — Po	3PH 12 kVA 1/3PH 11 kVA	
FMgru s.r.l. FMgru s.r.l. Via Emilia 11–29010 Pontenure PC ITALY tel. 0523/510446 ric.aut. fax 0523/510365 www.fmgru.it e-mail: info@fmgru.com	DIN 15018 2000/14/CE	



Documento commerciale non contrattuale Per tutte le informazioni tecniche riferirsi alle corrispondenti istruzioni

Unverbindliches Vertriebsdokument. Für technische Informationen, siehe die entsprechenden Anweisungen.

This commercial document is not legally binding. For any technical information, please refer to the corresponding instructions.

Documento commercial no contractual Para cualquities información tecnica, ver la noticia correspondiente.

Code: 15ICA37B40A0								
Ed.	Data	Rev	Data					
1	05.06.03	1	18.03.10					