




JLG N 35 E



Einsatzdaten

Max. Arbeitshöhe	12,70 m
Max. Plattformhöhe	10,70 m
Plattformabmessung LxB	1,22 x 0,66 m
Max. Hublast	227 kg
Max. seitliche Reichweite	7,00 m
Antriebsart	Batterie [4x2]
Schwenkbereich	360°
Überhang	0,00 m
Max. Steigungswinkel	25 %
Verfahrbar bis	12,70 m [Volle Höhe]
Max. Höhe des Gelenks	Ca. 5,00 m



Transportdaten


Eigengewicht	4617 kg
Gesamtlänge	5,18 m
Gesamtbreite	1,50 m
Bauhöhe	2,00 m
Bodenfreiheit	0,10 m

Besonderes

Hersteller & Bezeichnung	JLG N35E
Drehbarer Arbeitskorb	Ja
Korbarm, Drehwinkel	Nein, 0°
Pendelachse	Nein
Differentialsperre	Nein
Steckdose im Arbeitskorb	Nein
Allradantrieb	Nein



JLG N 35 E



Operation Data

Working Height	12,70 m
Platform Height	10,70 m
Platform Size LxB	1,22 x 0,66 m
Max. Lift Capacity	227 kg
Horizotal Outreach	7,00 m
Power Source	Batterie [4x2]
Turntable Rotation	360°
Überhang	0,00 m
Gradeability	25 %
Height of Articulate	Ca. 5,00 m



Transport Data

Weight	4617 kg
Length	5,18 m
Width	1,50 m
Height (stowed)	2,00 m
Ground Clearance	0,10 m

Particular

Manufacturer & Name	JLG N35E
Platform Rotation	yes
Jib at Platform, Rotation Angel	no, 0°
Pendulum Axis	no
Differential Lock	no
Socket In Platform	no
All-Wheel Drive	no