



FACILITEITEN AAN DE HOOFDRIEK - KLAPJIB - BEWEEGBARE JIB
FACILITES A LA FLECHE PRINCIPALE - JIB - VOLEE VARIABLE
FACILITIES ON MAIN BOOM - JIB - FLY JIB

160 G117

Rechts Partes	Gieklength + Jib (m)								Boom length + Jib (m)				Longueur du Mât + (haube) (m)							
	16.7				26.0				36.4				46.75		+ 10	+ 15	+ 20	+ 25	+ 30	
	Hakenhoogte max. (m)								Lifting height max. (m)				Hauteur sous crochet max. (m)							
	15.9				20.1				30.3				47.0		57.0	61.5	66.2	70.8	75.5	
N	DIN		85 %		DIN		85 %		DIN		85 %		DIN		85 %		DIN	DIN		
	**)	**)	**)	**)	**)	**)	**)	**)	**)	**)	**)	**)	**)	**)	**)	**)				
3	160.0	160.0	160.0	160.0	81.0	78.0	89.0	83.0	51.0	51.0	58.0	58.0								
4	160.0	130.0	160.0	130.0	80.0	71.8	88.0	78.0	51.0	51.0	58.0	58.0								
5	130.0	115.0	130.0	123.0	78.2	67.5	84.0	74.2	51.0	48.0	58.0	55.2								
6	105.0	87.5	105.0	103.0	69.0	60.4	78.0	66.4	51.0	42.8	58.0	49.0	29.0	28.5	33.0	32.5				
7	88.0	80.7	88.0	88.0	61.8	54.5	68.8	59.8	45.4	38.2	52.0	43.9	28.0	28.5	33.0	32.8	10.3			
8	73.8	68.8	73.2	73.2	60.1	49.5	62.4	54.4	40.9	34.8	47.0	40.0	28.0	28.8	33.0	30.8	10.3			
9	62.9	58.5	62.0	62.1	51.7	45.4	55.8	48.8	37.2	31.8	42.7	36.8	28.0	24.5	33.0	29.1	10.3			
10	54.0	48.3	52.4	53.1	47.2	42.0	51.7	46.2	33.9	29.1	38.9	33.5	28.8	22.5	30.8	25.8	10.3			
11	47.0	41.7	51.7	45.8	43.5	39.2	47.7	43.1	31.2	26.8	35.8	30.8	24.5	20.8	28.1	23.9	10.3	14.3		
12	41.2	36.5	45.3	40.1	39.8	35.2	43.7	37.4	28.8	24.8	33.0	28.5	22.7	18.4	26.1	22.9	9.8	14.3		
13	36.2	32.3	38.8	35.5	36.2	30.2	39.6	32.1	26.8	23.0	30.5	26.5	21.2	16.2	24.3	20.9	9.1	14.3	12.3	
14					34.0	28.8	36.8	28.2	24.8	21.3	28.5	24.5	19.8	17.1	22.7	19.8	8.6	14.1	12.3	
15					32.2	27.2	32.4	24.7	22.9	19.8	28.3	27.8	18.7	16.1	21.4	18.5	8.0	13.1	12.3	10.8
16					28.7	20.4	28.4	21.8	21.5	18.5	24.7	21.2	17.7	15.2	20.2	17.4	7.8	12.3	11.8	10.3
17					23.3	17.8	24.8	19.1	20.8	17.2	23.0	18.8	16.8	14.4	18.2	16.5	7.4	11.4	10.8	10.1
18					20.5	15.4	22.4	16.7	18.8	15.7	21.6	17.9	16.0	13.7	16.2	15.7	6.9	10.7	9.9	9.4
19					18.2	13.4	19.7	14.9	17.8	13.8	20.4	16.8	15.7	13.0	17.3	16.4	6.8	10.0	9.3	8.7
20					16.2	11.8	17.7	12.7	16.7	11.9	18.4	15.0	14.5	12.8	16.5	16.7	6.3	9.7	8.7	8.0
21					14.5	9.8	15.7	10.8	14.8	10.1	18.2	13.5	13.8	11.8	15.7	15.5	6.0	9.2	8.7	8.4
22					12.7	8.5	14.0	9.8	13.2	9.2	14.5	10.7	13.1	11.2	14.0	12.8	5.8	8.8	8.8	8.0
23					11.3	7.3	12.4	8.3	11.8	7.3	13.0	9.9	12.4	10.7	14.2	11.8	5.6	8.4	8.8	8.5
24									10.8	6.9	11.8	9.8	11.8	9.8	13.8	10.5	5.4	8.0	8.8	8.3
25									9.6	6.1	10.7	9.0	11.2	9.0	12.8	9.4	5.2	7.8	8.3	8.0
26									8.8	5.2	9.8	8.1	10.8	9.8	12.2	8.5	5.0	7.4	8.0	8.0
27									7.8	4.5	8.9	7.4	10.1	9.9	11.8	7.7	4.8	7.0	8.7	8.5
28									7.0	3.8	8.0	6.7	9.7	9.2	10.9	7.0	4.6	6.6	8.7	8.5
29									6.3	3.1	7.3	6.0	8.8	8.5	9.8	6.3	4.7	6.1	8.7	8.4
30									5.8	2.8	6.6	5.4	7.9	7.9	9.8	6.7	4.6	5.8	8.7	8.3
31									4.9	2.0	5.8	4.8	7.0	6.4	7.9	5.1	4.4	5.0	8.7	8.0
32									4.3	1.5	5.3	4.3	6.3	5.8	7.2	4.5	4.3	4.5	8.7	7.5
33									3.7	0.9	4.6	3.7	5.8	5.4	6.5	4.1	4.1	4.1	8.7	7.5
34													5.2	4.9	6.0	3.8	4.0			
35													4.7	4.5	5.5	3.2	3.8			
36													4.3	4.1	5.0	2.8	3.7			
37													3.9	3.7	4.8	2.4	3.6			
38													3.5	3.3	4.2	2.0	3.3			
39													3.1	2.9	3.8	1.6	2.9			
40													2.6	2.5	3.5	1.2	2.8			
41													2.3	2.2	3.3		2.2			
42													2.2	2.1	3.0		1.8			
43													2.0	1.9	2.7		1.7			
44													1.8	1.7	2.5		1.6			
45																	1.5			



Teleskop- und Spitzenausleger

