





KRUPP KMK 2020





KRUPP KMK 2020 (SH/SF)





MAMMOET

KRUPP KMK 2020 (SH/SF)

Outrigger base: 5.7x5.0m

Ballast: 4.0t

Mainboom																				
Boom length	Radius																			
	2.5	3	3.5	4	4.5	5	6	7	8	9	10	11	12	14	16	18	20			
7	20	17.5	15.6	13.7	12.1	10.5	8.5													
9.3		15.7	14.35	13	11.7	10.4	8.4	7	5.9											
11.5		13.8	13.15	12.5	11.5	10.5	8.6	7.2	6.1	5.3	4.6	4.1								
13.8		13.8	12.8	11.8	10.8	9.8	8.4	6.9	5.9	5.1	4.4	3.9	3.5							
16		13.8	12.65	11.5	10.5	9.5	8.1	7	5.9	5.1	4.5	3.9	3.5	2.8						
18.3				10.5	9.9	9.3	7.9	6.9	6	5.2	4.5	4	3.6	2.9	2.3					
20.5				8.6	8.35	8.1	7.3	6.6	6	5.2	4.6	4.1	3.6	2.9	2.3	1.9	1.5			

Mainboom with fixed jib																				
Boom length	Jib length	Jib offset	Radius																	
			3	3.5	4	4.5	5	6	7	8	9	10	11	12	14	16	18	20	22	
7	3.8	15	4.3	4.05	3.8	3.55	3.3	2.9	2.6	2.2	2.1	1.9								
		35			2.8	2.65	2.5	2.3	2.1	2										
11.5		15			4.3	4.1	3.9	3.4	3.1	2.9	2.6	2.4	2.3	2.1	2					
35						2.7	2.5	2.3	2.2	2.1	2	2								
16		15					4.2	3.8	3.5	3.2	3	2.8	2.4	2.3	2.1	1.9				
		35					2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.1	2					
20.5		15						3.8	3.6	3.4	3.2	3	2.9	2.7	2.4	2.2	2	1.7	1.4	
		35						2.6	2.5	2.4	2.3	2.3	2.2	2.1	2	2	1.9			



MAMMOET

[illegible]