



Technische Daten

Dati tecnici

Datos técnicos

LTM 1050 – 4

Mobilkran

Gru fuoristrada veloce


Grúa todo terreno rápida

Teleskopausleger

Braccio telescopico

Pluma telescópica

38 m



LIEBHERR



Die Traglasten am Teleskopausleger.
Portate del braccio telescopico.

LTM 1050-4

Tablas de cargas con pluma telescópica.



10,2m - 38m



360°



7,3t

75%

 m	10,2m	17,1m		24,1m	31m	35,2m	38m	 m
3	50							3
3,5	46							3,5
4	43							4
4,5	38,5							4,5
5	34,5	28		18,7				5
6	28,8	25	20	18,3	10,8	8,7		6
7	25	22,5	20	17,5	10,7	8,6	7,5	7
8		20,1	20	16,6	10,6	8,5	7,4	8
9		16,4	18,2	15,4	10,3	8,4	7,3	9
10		13,6	15,3	14,4	9,9	8,3	7,2	10
12		9,8	11,4	11,1	8,9	7,9	6,9	12
14		7,4	8,9	8,6	8,1	7,3	6,4	14
16				6,9	6,9	6,7	5,7	16
18				5,6	5,7	5,6	5,2	18
20				4,6	4,6	4,6	4,4	20
22					3,8	3,8	3,6	22
24					3,1	3,2	3	24
26					2,5	2,6	2,5	26
28					2,1	2,1	2,1	28
30						1,7	1,7	30
32						1,4	1,4	32
34						1,1	1,1	34
I	0	100	0	50	75	90	100	I
II	0	0	33	50	75	90	100	II
III	0	0	33	50	75	90	100	III
% IV	0	0	33	50	75	90	100	IV

TAB 72375



10,2m - 38m



360°



7,3t

85%

 m	10,2m	17,1m		24,1m	31m	35,2m	38m	 m
3	55							3
3,5	50							3,5
4	48							4
4,5	43							4,5
5	38,5	31		21				5
6	31,5	28	22	20,4	11,8	9,5		6
7	27,5	25,2	23	19,6	11,7	9,5	8,2	7
8		21	22	18,4	11,6	9,3	8,1	8
9		17,1	19,3	17	11,3	9,2	8	9
10		14,5	16,7	15	10,7	9,1	7,9	10
12		11	12,9	11,6	9,7	8,6	7,5	12
14		8,4	10	9,3	8,8	8	7	14
16				7,6	7,2	7	6,2	16
18				6,3	6	5,8	5,7	18
20				5,2	5	4,8	4,8	20
22					4,2	4	4	22
24					3,5	3,4	3,4	24
26					3	2,9	2,8	26
28					2,5	2,4	2,4	28
30						2,1	2	30
32						1,7	1,7	32
34						1,4	1,4	34
I	0	100	0	50	75	90	100	I
II	0	0	33	50	75	90	100	II
III	0	0	33	50	75	90	100	III
% IV	0	0	33	50	75	90	100	IV


TAB 72376

Sein größtes Lastmoment ist 192 tm.



Die Hubhöhen.
Altezze di sollevamento.
Diagrama de alcances.

LTM 1050-4





LTM 1050-4



10,2 m - 38 m



360°



4.1 v



75%

 m	10,2 m	17,1 m		24,1 m	31 m	35,2 m	38 m	 m
3	50							3
3,5	48							3,5
4	43							4
4,5	38,5							4,5
5	34,5	28		18,7				5
6	28,8	25	20	18,3	10,8	8,7		6
7	24,1	21,7	20	17,5	10,7	8,6	7,5	7
8		17,8	20	16,5	10,6	8,5	7,4	8
9		14,7	18,7	15,1	10,3	8,4	7,3	9
10		12	14	13,1	9,9	8,3	7,2	10
12		8,3	10,4	10	8,9	7,9	6,9	12
14		6	7,9	7,5	7,6	7,3	6,3	14
16				5,8	6	5,9	5,7	16
18				4,8	4,7	4,7	4,6	18
20				3,6	3,7	3,7	3,7	20
22					3	3	3	22
24					2,3	2,3	2,4	24
26					1,8	1,8	1,9	26
28					1,4	1,4	1,4	28
30						1,1	1,1	30
32						0,8	0,8	32
I	0	100	0	50	75	90	100	I
II	0	0	33	50	75	90	100	II
III	0	0	33	50	75	90	100	III
IV	0	0	33	50	75	90	100	IV

Momento di carico massimo 192 tm.



Summary



0



7.3 ± 4.1%



75%

10,2m					17,1m				
m	7,3t	4,1t	7,3t	4,1t	7,3t	4,1t	7,3t	4,1t	m
3,5	16,1	16	11,7	11,6					3,5
4	14,6	14,4	10,6	10,5	13,6	13,4	9,6	9,5	4
4,5	13,3	13,1	9,5	9,5	12,3	12,2	8,6	8,5	4,5
5	12,1	12	8,7	8,6	11,2	11,1	7,8	7,7	5
6	10,3	10,2	7,2	7,1	9,3	9,2	6,3	6,3	6
7	8,8	8,7	6,1	6	7,9	7,8	5,2	5,1	7
8					6,7	6,6	4,3	4,2	8
9					5,7	5,4	3,5	3,5	9
10					4,9	4,5	2,9	2,8	10
12					3,6	3	1,8	1,8	12
14					2,5	2	1,1	1	14
I	0				100				I
II	0				0				II
III	0				0				III
IV	0				0				IV

THE UNIVERSITY OF CHICAGO PRESS

Belien gaski-*dimensions of pneumatic* tamaño de neumáticos: 16.00 R 25

• **Batteries** 4.00 H 25

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Max. Fahr-geschwindigkeit für das Verfahren von Lasten in Längsrichtung zum Kran: 1 km/h (siehe B)

Massima velocità di trasferimento: controllata in direzione della lunghezza gru: 1 km/h (vedi manuale)

TAB 72407 72408 72404 72405

Anmerkungen zum Fragebogen

[illegible]

1. The first step in the process is to identify the problem. This involves gathering information about the situation and understanding the needs of the stakeholders involved.

2. Once the problem is identified, the next step is to develop a plan. This involves setting goals, identifying resources, and determining the steps that need to be taken to address the problem.

3. The third step is to implement the plan. This involves putting the plan into action and monitoring progress to ensure that the goals are being met.

4. Finally, the fourth step is to evaluate the results. This involves assessing the effectiveness of the plan and making adjustments as needed to improve the outcome.

Note alle tabelle di portata.

[illegible]

Observaciones referentes a las tablas de patrones

1. Las cargas indicadas no abarcan: a) los artículos 35-37, respectivamente de la carga de trabajo; b) la Ley de la nueva legislación alemana publicada en febrero de 1988; c) las cargas de algunos artículos de los DINs, en particular, la carga de trabajo y la cantidad de trabajo; d) la carga de los artículos 15-17, 19-20, 22-23, 25-26, 28-29, 31-32, 34-35, 37-38, 40-41, 43-44, 46-47, 49-50, 52-53, 55-56, 58-59, 61-62, 64-65, 67-68, 70-71, 73-74, 76-77, 79-80, 82-83, 85-86, 88-89, 91-92, 94-95, 97-98, 100-101, 103-104, 106-107, 109-110, 112-113, 115-116, 118-119, 121-122, 124-125, 127-128, 130-131, 133-134, 136-137, 139-140, 142-143, 145-146, 148-149, 151-152, 154-155, 157-158, 160-161, 163-164, 166-167, 169-170, 172-173, 175-176, 178-179, 181-182, 184-185, 187-188, 190-191, 193-194, 196-197, 199-200, 202-203, 205-206, 208-209, 211-212, 214-215, 217-218, 220-221, 223-224, 226-227, 229-230, 232-233, 235-236, 238-239, 241-242, 244-245, 247-248, 250-251, 253-254, 256-257, 259-260, 262-263, 265-266, 268-269, 271-272, 274-275, 277-278, 280-281, 283-284, 286-287, 289-290, 292-293, 295-296, 298-299, 301-302, 304-305, 307-308, 310-311, 313-314, 316-317, 319-320, 322-323, 325-326, 328-329, 331-332, 334-335, 337-338, 340-341, 343-344, 346-347, 349-350, 352-353, 355-356, 358-359, 361-362, 364-365, 367-368, 370-371, 373-374, 376-377, 379-380, 382-383, 385-386, 388-389, 391-392, 394-395, 397-398, 400-401, 403-404, 406-407, 409-410, 412-413, 415-416, 418-419, 421-422, 424-425, 427-428, 430-431, 433-434, 436-437, 439-440, 442-443, 445-446, 448-449, 451-452, 454-455, 457-458, 460-461, 463-464, 466-467, 469-470, 472-473, 475-476, 478-479, 481-482, 484-485, 487-488, 490-491, 493-494, 496-497, 499-500, 502-503, 505-506, 508-509, 511-512, 514-515, 517-518, 520-521, 523-524, 526-527, 529-530, 532-533, 535-536, 538-539, 541-542, 544-545, 547-548, 550-551, 553-554, 556-557, 559-560, 562-563, 565-566, 568-569, 571-572, 574-575, 577-578, 580-581, 583-584, 586-587, 589-590, 592-593, 595-596, 598-599, 601-602, 604-605, 607-608, 610-611, 613-614, 616-617, 619-620, 622-623, 625-626, 628-629, 631-632, 634-635, 637-638, 640-641, 643-644, 646-647, 649-650, 652-653, 655-656, 658-659, 661-662, 664-665, 667-668, 670-671, 673-674, 676-677, 679-680, 682-683, 685-686, 688-689, 691-692, 694-695, 697-698, 700-701, 703-704, 706-707, 709-710, 712-713, 715-716, 718-719, 721-722, 724-725, 727-728, 730-731, 733-734, 736-737, 739-740, 742-743, 745-746, 748-749, 751-752, 754-755, 757-758, 760-761, 763-764, 766-767, 769-770, 772-773, 775-776, 778-779, 781-782, 784-785, 787-788, 790-791, 793-794, 796-797, 799-800, 802-803, 805-806, 808-809, 811-812, 814-815, 817-818, 820-821, 823-824, 826-827, 829-830, 832-833, 835-836, 838-839, 841-842, 844-845, 847-848, 850-851, 853-854, 856-857, 859-860, 862-863, 865-866, 868-869, 871-872, 874-875, 877-878, 880-881, 883-884, 886-887, 889-890, 892-893, 895-896, 898-899, 901-902, 904-905, 907-908, 910-911, 913-914, 916-917, 919-920, 922-923, 925-926, 928-929, 931-932, 934-935, 937-938, 940-941, 943-944, 946-947, 949-950, 952-953, 955-956, 958-959, 961-962, 964-965, 967-968, 970-971, 973-974, 976-977, 979-980, 982-983, 985-986, 988-989, 991-992, 994-995, 997-998, 1000-1001, 1003-1004, 1006-1007, 1009-1010, 1012-1013, 1015-1016, 1018-1019, 1021-1022, 1023-1024, 1026-1027, 1029-1030, 1032-1033, 1035-1036, 1038-1039, 1041-1042, 1044-1045, 1047-1048, 1050-1051, 1053-1054, 1056-1057, 1059-1060, 1062-1063, 1065-1066, 1068-1069, 1071-1072, 1074-1075, 1077-1078, 1080-1081, 1083-1084, 1086-1087, 1089-1090, 1092-1093, 1095-1096, 1098-1099, 1101-1102, 1104-1105, 1107-1108, 1110-1111, 1113-1114, 1116-1117, 1119-1120, 1122-1123, 1125-1126, 1128-1129, 1131-1132, 1134-1135, 1137-1138, 1140-1141, 1143-1144, 1146-1147, 1149-1150, 1152-1153, 1155-1156, 1158-1159, 1161-1162, 1164-1165, 1167-1168, 1170-1171, 1173-1174, 1176-1177, 1179-1180, 1182-1183, 1185-1186, 1188-1189, 1191-1192, 1194-1195, 1197-1198, 1199-1200, 1202-1203, 1205-1206, 1208-1209, 1211-1212, 1214-1215, 1217-1218, 1220-1221, 1223-1224, 1226-1227, 1229-1230, 1232-1233, 1235-1236, 1238-1239, 1241-1242, 1244-1245, 1247-1248, 1250-1251, 1253-1254, 1256-1257, 1259-1260, 1262-1263, 1265-1266, 1268-1269, 1271-1272, 1274-1275, 1277-1278, 1280-1281, 1283-1284, 1286-1287, 1289-1290, 1292-1293, 1295-1296, 1298-1299, 1301

Momento de carga máximo 192 tm.



Die Traglasten an der Klappspitze. Portate del falcone ribaltabile. Tablas de cargas con plumin lateral.

LTM 1050-4



35,2m - 38m



5,1m - 16m



360°



7,3t

75%

 α m	35,2m						38m						 α m
	5,1m		9m		16m		5,1m		9m		16m		
	0°	20°	0°	20°	0°	20°	0°	20°	0°	20°	0°	20°	
8	6,3	4,5	5				5,1	4	4				8
9	6,3	4,4	5		3		5,1	3,9	3,95		2		9
10	6,3	4,25	5	3,8	2,9		5,1	3,8	3,92	3	2		10
12	6,3	4	4,9	3,45	2,7	1,8	5,1	3,65	3,9	2,8	2	1,75	12
14	6,1	3,75	4,7	3,3	2,55	1,72	5	3,5	3,85	2,65	1,98	1,72	14
16	5,7	3,5	4,4	3,2	2,4	1,65	4,7	3,3	3,75	2,5	1,96	1,7	16
18	5,15	3,25	4,1	3,05	2,2	1,57	4,25	3,1	3,5	2,35	1,93	1,65	18
20	4,5	3	3,9	2,95	2,05	1,52	3,9	2,95	3,25	2,25	1,9	1,6	20
22	3,75	2,85	3,7	2,9	1,9	1,46	3,5	2,75	3,05	2,1	1,85	1,55	22
24	3,1	2,65	3,15	2,8	1,8	1,42	2,9	2,6	2,85	2	1,8	1,5	24
26	2,6	2,5	2,65	2,7	1,7	1,4	2,4	2,4	2,45	1,9	1,7	1,45	26
28	2,2	2,3	2,25	2,45	1,6	1,35	2	2,1	2,05	1,8	1,65	1,42	28
30	1,85	1,9	1,9	2,05	1,55	1,3	1,7	1,8	1,75	1,75	1,6	1,4	30
32	1,5	1,55	1,6	1,7	1,5	1,25	1,4	1,5	1,45	1,6	1,45	1,37	32
34	1,2	1,25	1,3	1,45	1,45	1,22	1,15	1,25	1,2	1,3	1,3	1,34	34
36	0,95	1	1,05	1,15	1,2	1,18	0,9	0,95	0,95	1,05	1,05	1,3	36
38			0,85	0,9	1	1,15	0,7	0,7	0,8	0,85	0,85	1,1	38
40			0,65	0,65	0,85	1			0,6	0,65	0,7	0,9	40
I	90						100						I
II	90						100						II
III	90						100						III
IV	90						100						IV

TAB 72385/72387



35,2m - 38m



5,1m - 16m



360°



7,3t

85%

	35,2m						38m						
	5,1m		9m		16m		5,1m		9m		16m		
	0°	20°	0°	20°	0°	20°	0°	20°	0°	20°	0°	20°	
8	6,9	4,9	5,5				5,8	4,4	4,4				8
9	6,9	4,8	5,5			3,3	5,8	4,25	4,35			2,2	9
10	6,9	4,85	5,5	3,9	3,15		5,8	4,15	4,3	3,3	2,2		10
12	6,9	4,4	5,35	3,8	2,95	1,95	5,8	4	4,25	3,05	2,2	1,9	12
14	6,7	4,1	5,15	3,6	2,8	1,87	5,5	3,85	4,2	2,9	2,15	1,87	14
16	6,2	3,85	4,8	3,5	2,6	1,8	5,15	3,6	4,1	2,75	2,12	1,85	16
18	5,8	3,55	4,5	3,35	2,4	1,7	4,65	3,4	3,85	2,55	2,1	1,8	18
20	4,8	3,3	4,25	3,24	2,25	1,65	4,25	3,2	3,55	2,45	2,05	1,75	20
22	4,05	3,1	4,05	3,15	2,05	1,6	3,9	3	3,35	2,3	2	1,7	22
24	3,4	2,9	3,45	3,05	1,95	1,55	3,3	2,85	3,1	2,2	1,95	1,65	24
26	2,9	2,75	2,95	2,95	1,85	1,54	2,8	2,6	2,9	2,05	1,85	1,58	26
28	2,45	2,55	2,5	2,75	1,75	1,48	2,35	2,45	2,45	1,95	1,8	1,55	28
30	2,05	2,15	2,1	2,35	1,7	1,43	1,95	2,1	2,05	1,9	1,75	1,52	30
32	1,75	1,8	1,8	1,95	1,65	1,37	1,65	1,8	1,75	1,8	1,55	1,5	32
34	1,45	1,5	1,5	1,65	1,6	1,34	1,35	1,5	1,45	1,6	1,5	1,47	34
36	1,2	1,25	1,25	1,35	1,4	1,3	1,1	1,2	1,2	1,35	1,35	1,44	36
38			1,05	1,1	1,15	1,28	0,9	0,95	0,95	1,1	1,1	1,4	38
40			0,85	0,9	0,95	1,2	0,7		0,75	0,85	0,9	1,2	40
I	90						100						I
II	90						100						II
III	90						100						III
% IV	90						100						IV %

TAB 72380/72386



LTM 1050-4



35,2m - 38m



5,1m - 16m



360°



75%


 m	35,2m						38m						 m
	5,1m		9m		16m		5,1m		9m		16m		
	0°	20°	0°	20°	0°	20°	0°	20°	0°	20°	0°	20°	
8	6,3	4,5	5				5,1	4	4				8
9	6,3	4,4	5			3	5,1	3,9	3,95		2		9
10	6,3	4,25	5	3,6	2,9		5,1	3,8	3,92	3	2		10
12	6,3	4	4,9	3,45	2,7	1,8	5,1	3,65	3,9	2,8	2	1,75	12
14	6,1	3,75	4,7	3,3	2,55	1,72	5	3,5	3,85	2,65	1,98	1,72	14
16	5,7	3,5	4,4	3,2	2,4	1,65	4,7	3,3	3,75	2,5	1,96	1,7	16
18	4,7	3,25	4,1	3,05	2,2	1,57	4,25	3,1	3,5	2,35	1,93	1,65	18
20	3,8	3	3,9	2,95	2,05	1,52	3,55	2,95	3,25	2,25	1,9	1,6	20
22	3,1	2,85	3,2	2,9	1,9	1,48	2,9	2,75	2,95	2,1	1,85	1,55	22
24	2,5	2,65	2,65	2,8	1,8	1,42	2,4	2,5	2,4	2	1,8	1,5	24
26	1,95	2,1	2,1	2,35	1,7	1,4	1,95	2,05	2	1,9	1,7	1,45	26
28	1,55	1,65	1,65	1,9	1,6	1,35	1,5	1,65	1,65	1,8	1,65	1,42	28
30	1,15	1,25	1,3	1,5	1,55	1,3	1,15	1,25	1,3	1,5	1,45	1,4	30
32	0,85	0,95	1	1,15	1,25	1,25	0,8	0,95	0,95	1,15	1,15	1,37	32
34	0,8	0,65	0,7	0,85	0,95	1,22		0,65	0,7	0,85	0,95	1,22	34
36					0,7	1					0,7	1	36
38						0,7						0,7	38
I	90						100						I
II	90						100						II
III	90						100						III
IV	90						100						IV

TAB 72382/72400



**Die Maße.
Dimensioni.
Dimensiones.**

LTM 1050-4



P. - Allradlenkung
Tutti gli assi sterzanti
Dirección en todos los ejes
() - Bereifung 16.00 R 25
Pneumático 16.00 R 25
Neumáticos 16.00 R 25

	Maße / Dimensioni / Dimensiones mm										
	A	A	B	C	D	E	F	α	α ₁	β	β ₁
		100 mm*									
14.00 R 25	3630	3530	2500	2117	3545	330	410	20°	13°	25°	16°
16.00 R 25	3680	3580	2700	2267	3595	380	480	23°	16°	27°	20°

*abgesenkt / Abbassato / suspensión abatida