




Technische Daten
Technical Data
Caractéristiques techniques

LTM 1400

Mobilkran
Mobile Crane
Grue automotrice



LIEBHERR

LTM 1400



Die Traglasten am Teleskopausleger.

Lifting capacities on telescopic boom.

Forces de levage à la flèche télescopique.

LTM 1400



15,7 m – 50 m





360°



95 t

DIN ISO

 m	15,7 m		21,4 m	26,1 m	27 m	31,7 m	36,5 m		42,1 m	46,9 m	50 m	 m
	1)											
3	400	350										3
3,5	340	310										3,5
4	300	280										4
4,5	275	252	245									4,5
5	250	234	229		160							5
5,5	233	217	214	192	152							5,5
6	218	203	200	181	145	155						6
7	192	180	176	163	132	140	123	101	106	92		7
8	171	160	157	148	122	127	113	94	99	86	80	8
9	154	145	142	135	113	116	104	87	93	81	76	9
10	139	131	128	123	105	107	96	81	87	76	72	10
12	114	108	105	104	92	92	83	71	77	68	64	12
14			89	88	81	80	72	63	67	61	57	14
16			75	74	73	71	64	56	59	55	50	16
18			63	62	66	63	57	51	53	49,5	45	18
20				52	59	54	52	46,5	48	45	41	20
22				45	51	46	46,5	42,5	43,5	41	37	22
24					44,5	39,5	40	39	40	37,5	34	24
26						34	35	36	36,5	34,5	31	26
28						30	30,5	33,5	32	32	28,6	28
30							27	31	28,7	29,4	26,4	30
32							23,9	28,7	25,5	26,3	24,5	32
34							21,2	26,1	22,9	23,5	22,7	34
36									20,6	21,2	21,1	36
38									18,5	19,2	19,3	38
40										17,3	17,4	40
42										15,6	15,7	42
44											14,2	44
46											12,9	46
I	0		50	92	0	92	92	0	92	92	100	I
II	0		0	0	50	50	92	92	92	92	100	II
III	0		0	0	50	0	0	92	50	92	100	III

TAB 78023



15,7 m – 50 m





360°



95 t

85%

 m	15,7 m		21,4 m	26,1 m	27 m	31,7 m	36,5 m		42,1 m	46,9 m	50 m	 m
	1)											
3	440	385										3
3,5	374	341										3,5
4	330	308										4
4,5	302	277	270									4,5
5	275	257	252		176							5
5,5	257	239	235	211	167							5,5
6	240	224	220	199	159	170						6
7	211	198	194	179	145	154	135	111	117	101		7
8	188	177	173	163	134	140	124	103	109	95	88	8
9	169	159	156	149	124	128	114	96	102	89	84	9
10	153	144	141	135	115	118	106	89	96	84	79	10
12	125	119	115	114	101	101	91	78	85	75	70	12
14			98	97	89	88	79	69	74	67	63	14
16			83	81	80	78	70	62	65	60	55	16
18			69	68	73	69	63	56	58	54	49,5	18
20				57	66	60	57	51	53	49,5	45	20
22				50	58	52	51	46,5	47,5	45	40,5	22
24					50	45	44,5	42,5	44	41	37	24
26						39	39,5	39,5	40	38	34	26
28						34	34,5	36,5	36	35	31,5	28
30							30,5	34	32	32,5	29	30
32							27,1	32,5	29	29,3	26,9	32
34							24,2	29,6	25,9	26,6	25	34
36									23,3	24	23,2	36
38									21,1	21,7	21,7	38
40										19,7	19,8	40
42										18	18	42
44											16,4	44
46											15	46

nach hinten / over rear / en arrière

TAB 78033

Sein größtes Lastmoment ist 1390 tm.



Die Hubhöhen. Lifting heights. Hauteurs de levage.

LTM 1400

Teleskopausleger.
Telescopic boom.
Flèche télescopique.

