






ATC40

TABELLA DI PORTATA CON BRACCIO PRINCIPALE
FORCES DE LEVAGE A LA FLECHE TELESCOPIQUE
LIFTING CAPCITIES ON TELESCOPIC BOOM
DIE TRAGLASTEN AM TELESKOPAUSLEGER



DIN
ISO

	7,5m 35,1m												
		7,5**	7,5	9,1**	9,1	11,3	15,1	18,9	22,6	26,1	29,5	35,1	
	2,5	40,0	36,1	40,0	36,1	35,7	24,8	19,6	16,2				2,5
	3,0	35,5	32,5	35,5	32,5	32,2	23,2	18,4	15,4				3,0
	3,5	32,0	29,5	32,0	29,5	29,2	21,8	17,3	14,6	12,3			3,5
	4,0	29,0	26,9	29,0	26,9	26,7	20,4	16,3	13,8	11,8			4,0
	4,5	26,0	24,0	26,0	24,0	23,8	19,2	15,4	13,1	11,3	9,2	6,5	4,5
	5,0	22,0	21,4	22,0	21,4	21,1	18,2	14,5	12,4	10,8	8,9	6,4	5,0
	6,0	17,0	17,0	17,0	17,0	17,0	16,3	13,0	11,2	9,9	8,1	6,0	6,0
	7,0					14,1	14,3	11,7	10,1	9,0	7,6	5,6	7,0
	8,0						10,9	10,7	9,2	8,2	7,0	5,2	8,0
	9,0						8,5	8,9	8,4	7,5	6,6	4,9	9,0
	10,0						6,9	7,2	7,6	7,0	6,1	4,6	10,0
	12,0							5,0	5,3	5,7	5,4	4,0	12,0
	14,0								3,9	4,2	4,5	3,5	14,0
	16,0								2,9	3,2	3,5	3,2	16,0
	18,0									2,5	2,7	2,8	18,0
	19,0									1,9	2,2	2,2	19,0
	20,0										1,7	1,7	20,0
	22,0											1,4	22,0
	24,0											1,1	24,0
	26,0											0,8	26,0
	28,0											0,6	28,0
	30,0												30,0
	I	0,0	0,0	40,0%	40,0%	80,0%	80,0%	80,0%	80,0%	80,0%	80,0%	100,0%	I
	II	0,0	0,0	0,0	0,0%	0,0%	80,0%	80,0%	80,0%	80,0%	80,0%	100,0%	II
	III	0,0	0,0	0,0	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	80,0%	100,0%	III
	IV	0,0	0,0	0,0	0,0%	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	100,0%	IV
	V	0,0	0,0	0,0	0,0%	0,0%	0,0%	0,0%	0,0%	80,0%	80,0%	100,0%	V
	VI	0,0	0,0	0,0	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	80,0%	100,0%	VI

**



SOLO SU ANTERIORE E POSTERIORE ANGOLO MAX +/-2.5°

**



ATC40

TABELLA DI PORTATA CON BRACCIO PRINCIPALE
FORCES DE LEVAGE A LA FLECHE TELESCOPIQUE
LIFTING CAPCITIES ON TELESCOPIC BOOM
DIE TRAGLASTEN AM TELESKOPAUSLEGER



DIN
ISO

7,5m 35,1m

14.00X24* 2 km/h


=3t

	7,5	9,1	11,3	15,1	18,9	22,6	26,1	29,5	35,1	
2,5										2,5
3,0	18,4	18,4	17,1	16,0	14,4					3,0
3,5	15,0	15,0	15,0	15,0	15,0					3,5
4,0	12,5	12,8	12,8	12,8	12,9					4,0
4,5	10,4	10,6	10,7	10,7	10,8					4,5
5,0		9,1	9,1	19,2	9,2					5,0
6,0		7,1	7,1	7,1	7,2					6,0
7,0			5,6	5,6	5,7					7,0
8,0				4,5	4,5					8,0
9,0				3,7	3,7					9,0
10,0					3,1					10,0
12,0					2,6					12,0
14,0										14,0
16,0										16,0
18,0										18,0
19,0										19,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
I	0,0	40,0%	40,0%	80,0%	80,0%	80,0%	80,0%	80,0%	100,0%	I
II	0,0	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	80,0%	100,0%	II
III	0,0	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	80,0%	100,0%	III
IV	0,0	0,0%	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	100,0%	IV
V	0,0	0,0%	0,0%	0,0%	0,0%	0,0%	80,0%	80,0%	100,0%	V
VI	0,0	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	80,0%	100,0%	VI



ATC40

TABELLA DI PORTATA CON BRACCIO PRINCIPALE
FORCES DE LEVAGE A LA FLECHE TELESCOPIQUE
LIFTING CAPCITIES ON TELESCOPIC BOOM
DIE TRAGLASTEN AM TELESKOPAUSLEGER



7,5m 35,1m



14.00X24****



=3t




DIN
ISO

	7,5	9,1	11,3	15,1	18,9	22,6	26,1	29,5	35,1	
2,5	10,2	10,5	10,6	10,6	10,7					2,5
3,0	13,5	8,4	8,5	8,5	8,6					3,0
3,5	11,3	7,0	7,1	7,1	7,2					3,5
4,0	9,4	5,9	6,0	6,0	6,1					4,0
4,5		4,5	4,6	4,6	4,7					4,5
5,0		3,6	3,6	3,6	3,7					5,0
6,0		3,0	2,8	2,8	2,9					6,0
7,0			2,3	2,3	2,4					7,0
8,0				1,8	1,9					8,0
9,0				1,5	1,6					9,0
10,0				1,4	1,5					10,0
12,0					1,0					12,0
14,0										14,0
16,0										16,0
18,0										18,0
19,0										19,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
	0,0	40,0%	40,0%	80,0%	80,0%	80,0%	80,0%	80,0%	100,0%	I
	0,0	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	80,0%	100,0%	II
	0,0	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	80,0%	100,0%	III
	0,0	0,0%	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	100,0%	IV
	0,0	0,0%	0,0%	0,0%	0,0%	0,0%	80,0%	80,0%	100,0%	V
	0,0	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	80,0%	100,0%	VI



ATC40

TABELLA DI PORTATA CON BRACCIO PRINCIPALE E TRALICCIO
FORCES DE LEVAGE A LA FLECHE TELESCOPIQUE PLUS FLECHETTE
LIFTING CAPCITIES ON TELESCOPIC BOOM PLUS FLY JIB
DIE TRAGLASTEN AM TELESKOPAUSLEGER MIT KLAPPSPITZE



7,5m 35,1m

offset
0,0



100%



360°



3t


DIN
ISO

	7,5	9,1	11,3	15,1	18,9	22,6	26,1	29,5	35,1	
2,5	2,8	3,0	3,0							2,5
3,0	2,6	3,0	3,0	3,0						3,0
3,5	2,4	3,0	3,0	3,0						3,5
4,0	2,2	2,8	3,0	3,0						4,0
4,5	2,0	2,6	2,8	3,0	3,0	3,0				4,5
5,0	1,8	2,4	2,6	2,8	3,0	3,0	3,0			5,0
6,0	1,6	2,2	2,4	2,6	3,0	3,0	3,0	3,0		6,0
7,0	1,4	2,0	2,2	2,4	2,8	3,0	3,0	3,0		7,0
8,0	1,3	1,8	2,0	2,2	2,6	2,8	3,0	3,0	3,0	8,0
9,0	1,1	1,6	1,8	2,0	2,4	2,6	2,8	2,8	3,0	9,0
10,0	0,9	1,3	1,6	1,8	2,2	2,4	2,6	2,6	3,0	10,0
12,0		1,1	1,3	1,6	2,0	2,2	2,4	2,4	2,8	12,0
14,0		0,9	1,1	1,3	1,8	2,0	2,2	2,2	2,6	14,0
16,0			0,9	1,1	1,6	1,8	2,0	2,0	2,4	16,0
18,0				0,9	1,3	1,6	1,8	1,8	2,2	18,0
19,0					1,1	1,3	1,6	1,6	2,0	19,0
20,0					0,9	1,1	1,3	1,4	1,8	20,0
22,0						0,9	1,1	1,2	1,7	22,0
24,0							0,9	1,1	1,5	24,0
26,0								1,0	1,4	26,0
28,0								0,9	1,2	28,0
30,0									1,1	30,0
I	0,0	40,0%	80,0%	80,0%	80,0%	80,0%	80,0%	80,0%	100,0%	I
II	0,0	0,0%	0,0%	80,0%	80,0%	80,0%	80,0%	80,0%	100,0%	II
III	0,0	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	80,0%	100,0%	III
IV	0,0	0,0%	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	100,0%	IV
V	0,0	0,0%	0,0%	0,0%	0,0%	0,0%	80,0%	80,0%	100,0%	V
VI	0,0	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	80,0%	100,0%	VI




ATC40

TABELLA DI PORTATA CON BRACCIO PRINCIPALE E TRALICCIO
FORCES DE LEVAGE A LA FLECHE TELESCOPIQUE PLUS FLECHETTE
LIFTING CAPCITIES ON TELESCOPIC BOOM PLUS FLY JIB
DIE TRAGLASTEN AM TELESKOPAUSLEGER MIT KLAPPSPITZE



offset



DIN
ISO

7,5m 35,1m

12m

100%

360°

3t

	7,5	9,1	11,3	15,1	18,9	22,6	26,1	29,5	35,1	
2,5										2,5
3,0										3,0
3,5										3,5
4,0										4,0
4,5										4,5
5,0										5,0
6,0										6,0
7,0	1,0									7,0
8,0	1,0	1,0								8,0
9,0	0,8	0,9	1,0							9,0
10,0	0,7	0,8	0,9	1,0	1,0					10,0
12,0		0,7	0,8	1,0	1,0	1,0				12,0
14,0			0,7	0,9	0,9	1,0	1,0			14,0
16,0			0,7	0,8	0,8	0,9	1,0	1,0		16,0
18,0				0,7	0,8	0,8	0,9	1,0		18,0
19,0				0,7	0,0	0,8	0,8	0,9	1,0	19,0
20,0				0,6	0,0	0,7	0,8	0,8	1,0	20,0
22,0					0,6	0,7	0,7	0,8	0,9	22,0
24,0						0,6	0,7	0,7	0,8	24,0
26,0							0,6	0,7	0,8	26,0
28,0							0,5	0,6	0,7	28,0
30,0								0,5	0,6	30,0
	I	0,0	40,0%	80,0%	80,0%	80,0%	80,0%	80,0%	100,0%	I
II	0,0	0,0%	0,0%	80,0%	80,0%	80,0%	80,0%	80,0%	100,0%	II
III	0,0	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	80,0%	100,0%	III
IV	0,0	0,0%	0,0%	0,0%	0,0%	80,0%	80,0%	80,0%	100,0%	IV
V	0,0	0,0%	0,0%	0,0%	0,0%	0,0%	80,0%	80,0%	100,0%	V
VI	0,0	0,0%	0,0%	0,0%	0,0%	0,0%	0,0%	80,0%	100,0%	VI



ATC 40 Arbeitsbereich: Hauptausleger+Auslegerverlängerung
Working area: main boom+fly jib

