




IGO 24A



ARCOMET
www.arcomet.com


WIJZIGINGEN VOORBEHOUDEN - SOUS RÉSERVE DE MODIFICATIONS - SUBJECT TO MODIFICATION - AENDERUNGEN VORBEHALTEN - SOTTO RISERVA DI MODIFICHE - MODIFICACIONES RESERVADAS



ARCOMET


Courbes de charges
Lastkurven
Load diagrams
Curvas de cargas
Curve di carico
Curva de cargas

MDG 1



Flèche relevée
Ausleger in
Steilstellung
Luffing jib
Flecha izada
Braccio
impennato
Lança inclinada

MDG 2



	F	D	GB	E	I	P
	Chariot distributeur	Verfahrbare Laufkatze	Traversing trolley	Carro distribuidor	Carrellino distributore	Carro distribuidor
	Chariot distributeur et courbes de charges	Verfahrbare Laufkatze und Lastkurven	Traversing trolley and load diagrams	Carro distribuidor y curvas de cargas	Carrellino distributore e curve di carico	Carro distribuidor e curva de cargas
	Réactions en service	Reaktionskräfte in Betrieb	Reactions in service	Reacciones en servicio	Reazioni in servizio	Reacções em serviço
	Réactions hors service	Reaktionskräfte außer Betrieb	Reactions out of service	Reacciones fuera de servicio	Reazioni fuori servizio	Reacções fora de serviço
	A vide sans lest (ni train de transport) avec flèche et hauteur maximum.	Ohne Last, Ballast (und Transportachse), mit Maximalausleger und Maximalhöhe.	Without load, ballast (or transport axes), with maximum jib and maximum height.	Sin carga, sin lastre, (ni tren de transporte), flecha y altura máxima.	A vuoto, senza zavorra (ne assali di trasporto) con braccio massimo e altezza massima.	Sem carga (nem trem de transporte)- sem lastro com lança e altura máximas.



Mécanismes

Antriebe

Mechanisms

Mecanismos


Meccanismi

Mecanismos

								ch - PS hp	kW
	10 LVF 12 Optima	m/min	2	10	17	34	40	10	7,5
		kg	2400	2400	2400	1000	500		
	2 DVF5	m/min	15 - 38 (0 → 1000 kg) 15 - 30 (1000 → 2400 kg)					2	1,5
									
	RVF2	tr/min U/min rpm	0 → 0,8					2	1,5
CEI 38 			IEC 38 						
400 V (+6% -10%) 50 Hz			10 LVF 12 : 14 kVA						


MDG 1

MDG 1



Montage
Montage
Erection
Montaje
Montaggio
Montagem

MDG 1




  	F	D	GB	E	I	P
	Levage	Heben	Hoisting	Elevación	Sollevamento	Elevação
	Distribution	Katzfahren	Trolleying	Distribución	Distribuzione	Distribuição
	Orientation	Schwenken	Slewing	Orientación	Rotazione	Rotação




Snelmontagekraan
Grue à montage rapide
Schnelleinsatzkran
Self erecting crane

IGO 24A

Transport	DS61/S120	○	L (m)	B (m)	C (m)	D (m)	H (m)	
Transport	DS61/S125	DS61/S120	14,9	2,45	3	6,81	3,05/3,2	
Transport	DS61/S125	DS61/S125	14,9	2,45	3	6,81	3,05/3,2	
Transporte	DJ80/S120	○	DJ80/S120	14,9	2,45	3	6,81	3,1
Trasporto	DJ80/S125	DJ80/S125	14,9	2,45	3	6,81	3,1	
Transporte	DJ80/S125	DJ100/S120	15,33	2,45	3	6,81	3,1/3,23	
MDG 1	DJ100/S120	○	DJ105/S125	15,33	2,45	3	6,81	3,1/3,23
	DJ105/S125	DJ126M/S125	15,35	2,45	3	6,81	3,2	
	DJ105/S125	DJ126M/S215M	16,14	3,24	5,37	4,44	3,55	
	DJ126M/S125							
	DJ126M/S215M							



SL122/J215M		C (m)	D (m)
SL121/J135	SL122/J215M	5,37	4,44
SL121/J135	SL121/J135	3	6,81
SL121/S215M	SL121/S215M	5,37	4,44



○	F	D	GB	E	I	P
	Chantier	Baustelle	Site	Obra	Cantiere	Estaleiro



ARCOMET

Industrieweg 139 - 3583 Paal-Beringen - BELGIUM - T +32 (0)11 450 950 - EMAIL arcomet@arcomet.com - www.arcomet.com

POTAIN