




POTAIN 

MC 205 B



CITY CRANE






GB

Reactions in service

Reactions out of service



Without load, ballast (or transport axles), with maximum jib and maximum height.

See climbing crane





Load diagrams




Counter-jib ballast

		4800 kg - 4200 kg 3400 kg
		⚖️ (kg)
60 m	14,5 m	18 600
55 m	14,5 m	15 800
50 m	14,5 m	14 400
45 m	12 m	17 200
40 m	12 m	14 400
35 m	12 m	13 000
30 m	12 m	11 000

Base ballast

2 m	VB 20 A	H (m)	64,7	61,7	58,7	55,7	52,7	49,7	46,7	43,7	40,7	37,7	34,7	31,7	28,7	25,7	22,7	19,7	16,7	13,7
		⚖️ (t)	108	96	84	72	60	48	36	24	24	24	24	24	24	24	24	24	24	24

Anchorage



CITY CRANE
MC 205 B



GB

- A Distance between collars
- H1 Crane height
- P Crane weight (in service)
- R Horizontal reaction




								hp	kW	
	55 RCS 25	m/min	0 → 40	0 → 80	0 → 20	0 → 40		55	40,5	557 m
		t	5	2,5	10	5				
	5 D3 V4	m/min	15 - 30 - 58					5	3,7	
	RCV 145	rpm	0 → 0,8					2 x 6	2 x 4,4	
	VB 20 A RT 544 A1 2V R ≥ 13 m	m/min	13,5 → 27					4 x 7	4 x 5,2	
CEI 38 		IEC 38								
400 V (+6% -10%) 50 Hz				55 RCS : 75kVA		2000/14				

GB

- Hoisting
- Trolleying
- Slewing
- Travelling

In compliance with the EEC Instructions on noise level



This commercial document is not legally binding.
For any technical information, please refer to the corresponding instructions.



Americas
Tel: +1 920 683 6322
Tel: +1 717 597 8121

Europe – Middle East – Africa
Tel : +(33) 4 72 81 50 00
Tel : +(44) 191 565 6281

Asia – Pacific
Tel: +(65) 6861 7133
Fax: +(65) 6862 4142

www.manitowoccrane.com

Manitowoc Crane Group Asia Pte Ltd
Manitowoc Crane Group
26 Benoi Road
Singapore 629898
Tel: 65-6861 7133
Fax: (Admin/ Sales) : 65-6862 4040
Fax: (Service/ Parts) : 65-6862 4142
www.manitowoccrane.com

CITY CRANE MC 205 B
Réf. 2004 45 MBZ 1

Copyright.Reproduction interdite © POTAIN 2004

Réalisation Sedoc