




# MRT 263

TOP LESS CRANE



A4 EN 14439 - C50 - D50








# MRT 263

**TOWER CONFIGURATION - REACTIONS**

CONFIGURAZIONE TORRE - REAZIONI / CONFIGURATION TOUR - RÉACTIONS / TORRE DE CONFIGURACIÓN - REACCIONES / КОНФИГУРАЦИЯ БАШНИ — РЕАКЦИИ

**EN 14439 - C50**

| ☒ 2,1 m L = 6,0 m - B |        |       |        |      | ☒ 2,1 m L = 6,0 m - C |        |       |        |      | ☒ 2,1 m L = 6,0 m - D |        |        |        |      |
|-----------------------|--------|-------|--------|------|-----------------------|--------|-------|--------|------|-----------------------|--------|--------|--------|------|
|                       | *H (m) | Z (t) | F1(kN) |      |                       | *H (m) | Z (t) | F1(kN) |      |                       | *H (m) | F2(kN) | F3(kN) |      |
| 15                    | 2,95 m | 59,29 | 102,92 | 1368 | 15                    | 2,95 m | 58,39 | 102,92 | 1321 | 15                    | 2,95 m | 55,23  | 2059   | 1648 |
| 14                    | 2,95 m | 56,34 | 102,92 | 1212 | 14                    | 2,95 m | 55,44 | 102,92 | 1168 | 14                    | 2,95 m | 52,28  | 1823   | 1421 |
| 13                    | 2,95 m | 53,39 | 96,46  | 1089 | 13                    | 2,95 m | 52,49 | 96,46  | 1047 | 13                    | 2,95 m | 49,33  | 1678   | 1324 |
| 12                    | 2,95 m | 50,44 | 83,54  | 931  | 12                    | 2,95 m | 49,54 | 83,54  | 891  | 12                    | 2,95 m | 46,38  | 1505   | 1073 |
| 11                    | 2,95 m | 47,49 | 83,54  | 861  | 11                    | 2,95 m | 46,59 | 83,54  | 845  | 11                    | 2,95 m | 43,43  | 1450   | 1026 |
| 10                    | 2,95 m | 44,54 | 77,08  | 822  | 10                    | 2,95 m | 43,64 | 77,08  | 806  | 10                    | 2,95 m | 40,48  | 1398   | 982  |
| 9                     | 2,95 m | 41,59 | 77,08  | 829  | 9                     | 2,95 m | 40,69 | 77,08  | 813  | 9                     | 2,95 m | 37,53  | 1367   | 959  |
| 8                     | 2,95 m | 38,64 | 77,08  | 810  | 8                     | 2,95 m | 37,74 | 77,08  | 794  | 8                     | 2,95 m | 34,58  | 1409   | 1009 |
| 7                     | 2,95 m | 35,69 | 70,62  | 776  | 7                     | 2,95 m | 34,79 | 70,62  | 760  | 7                     | 2,95 m | 31,63  | 1305   | 914  |
| 6                     | 2,95 m | 32,74 | 70,62  | 748  | 6                     | 2,95 m | 31,84 | 70,62  | 733  | 6                     | 2,95 m | 28,68  | 1253   | 869  |
| 5                     | 2,95 m | 29,79 | 70,62  | 723  | 5                     | 2,95 m | 28,89 | 70,62  | 708  | 5                     | 2,95 m | 25,73  | 1182   | 806  |
| +4                    | 2,95 m | 26,84 | 70,62  | 708  | +4                    | 2,95 m | 25,94 | 70,62  | 694  | +4                    | 2,95 m | 22,78  | 1147   | 780  |



N.B. \*H = Telaio di raccordo a spinta incluso  
Climbing cage connection frame including  
Elément de telescopage compris  
Bastidor de enlace de empuje incluido  
Включая boost подгонки фрейма



Comply with the specified ballast / Attenersi alla zavorra indicata / S'en tenir au lest indiqué / Respe-  
tar el peso de lastre indicado / Соблюдать указанный балласт






MRT 263

TOWER CONFIGURATION - REACTIONS

CONFIGURAZIONE TORRE - REAZIONI / CONFIGURATION TOUR - RÉACTIONS / TORRE DE CONFIGURACIÓN - REACCIONES / КОНФИГУРАЦИЯ БАШНИ — РЕАКЦИИ

EN 14439 - D50

| 2,1 m L = 6,0 m - B |        |       |        |      | 2,1 m L = 6,0 m - C |        |       |        |      | 2,1 m L = 6,0 m - D |        |               |      |      |
|---------------------|--------|-------|--------|------|---------------------|--------|-------|--------|------|---------------------|--------|---------------|------|------|
|                     | *H (m) | Z (t) | F1(kN) |      |                     | *H (m) | Z (t) | F1(kN) |      |                     | *H (m) | F2(kN) F3(kN) |      |      |
| 14                  | -      | -     | -      | -    | 14                  | -      | -     | -      | -    | 14                  | -      | -             | -    | -    |
| 13                  | -      | -     | -      | -    | 13                  | -      | -     | -      | -    | 13                  | -      | -             | -    | -    |
| 12                  | 2,95 m | 50,44 | 109,38 | 1295 | 12                  | 2,95 m | 49,54 | 109,38 | 1243 | 12                  | 2,95 m | 46,38         | 1903 | 1517 |
| 11                  | 2,95 m | 47,49 | 90,00  | 1128 | 11                  | 2,95 m | 46,59 | 90,00  | 1079 | 11                  | 2,95 m | 43,43         | 1653 | 1275 |
| 10                  | 2,95 m | 44,54 | 77,08  | 973  | 10                  | 2,95 m | 43,64 | 77,08  | 927  | 10                  | 2,95 m | 40,48         | 1421 | 1051 |
| 9                   | 2,95 m | 41,59 | 77,08  | 830  | 9                   | 2,95 m | 40,69 | 77,08  | 813  | 9                   | 2,95 m | 37,53         | 1367 | 959  |
| 8                   | 2,95 m | 38,64 | 77,08  | 794  | 8                   | 2,95 m | 37,74 | 77,08  | 778  | 8                   | 2,95 m | 34,58         | 1409 | 1009 |
| 7                   | 2,95 m | 35,69 | 77,08  | 776  | 7                   | 2,95 m | 34,79 | 77,08  | 760  | 7                   | 2,95 m | 31,63         | 1305 | 914  |
| 6                   | 2,95 m | 32,74 | 70,62  | 748  | 6                   | 2,95 m | 31,84 | 70,62  | 733  | 6                   | 2,95 m | 28,68         | 1253 | 869  |
| 5                   | 2,95 m | 29,79 | 70,62  | 707  | 5                   | 2,95 m | 28,89 | 70,62  | 692  | 5                   | 2,95 m | 25,73         | 1182 | 806  |
| +4                  | 2,95 m | 26,84 | 70,62  | 692  | +4                  | 2,95 m | 25,94 | 70,62  | 678  | +4                  | 2,95 m | 22,78         | 1147 | 780  |



N.B. \*H = Telaio di raccordo a spinta incluso  
Climbing cage connection frame including  
Elément de telescopage compris  
Bastidor de enlace de empuje incluido  
Включая boost подгонки фрейма



Comply with the specified ballast / Attenersi alla zavorra indicata / S'en tenir au lest indiqué / Respetar el peso de lastre indicado / Соблюдать указанный балласт



# MRT 263

## LOAD DIAGRAMS 14.0 T / 7.0 T

DIAGRAMMA DI PORTATA / DIAGRAMME DE CHARGE UTILE / CURVAS DE CARGA /  
ДИАГРАММА ГРУЗОПОДЪЕМНОСТИ

### 14.000 Kg / 7.000 Kg

| JIB   | 24.0  | 30.0     | 36.0  | 40.0  | 46.0  | 50.0  | 56.0  | 60.0  | 66.0  | 70.0  | 76.0  |
|-------|-------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2,8 ▶ | 24.0  | 24.3     | 24.2  | 24.1  | 23.8  | 23.3  | 22.7  | 22.1  | 21.2  | 19.4  | 16.7  |
| 14    | 14000 | 14000    | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 |
| 15    | 14000 | 14000    | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 |
| 16    | 14000 | 14000    | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 |
| 18    | 14000 | 14000    | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 13225 |
| 20    | 14000 | 14000    | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 13859 | 11688 |
| 21    | 14000 | 14000    | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 13097 | 11034 |
| 22    | 14000 | 14000    | 14000 | 14000 | 14000 | 14000 | 14000 | 14000 | 13663 | 12407 | 10445 |
| 23    | 14000 | 14000    | 14000 | 14000 | 14000 | 14000 | 13952 | 13584 | 12979 | 11781 | 9908  |
| 24    | 14000 | 14000    | 14000 | 14000 | 13974 | 13690 | 13286 | 12933 | 12355 | 11209 | 9418  |
| 26    |       | 12977    | 12934 | 12933 | 12747 | 12485 | 12114 | 11790 | 11257 | 10205 | 8557  |
| 28    |       | 11915    | 11876 | 11875 | 11702 | 11460 | 11117 | 10816 | 10324 | 9349  | 7824  |
| 29    |       | 11441    | 11403 | 11402 | 11235 | 11002 | 10671 | 10382 | 9908  | 8967  | 7497  |
| 30    |       | 11000    | 10964 | 10963 | 10802 | 10577 | 10256 | 9977  | 9519  | 8612  | 7193  |
| 32    |       |          | 10170 | 10168 | 10019 | 9808  | 9508  | 9248  | 8819  | 7971  | 6827  |
| 34    |       |          | 9472  | 9471  | 9330  | 9132  | 8852  | 8606  | 8204  | 7406  | 6371  |
| 36    |       |          | 8855  | 8854  | 8722  | 8535  | 8270  | 8039  | 7659  | 6908  | 5967  |
| 38    |       |          |       | 8304  | 8179  | 8001  | 7752  | 7533  | 7174  | 6644  | 5607  |
| 40    |       |          |       | 7810  | 7691  | 7524  | 7286  | 7079  | 6875  | 6268  | 5284  |
| 42    |       |          |       |       | 7251  | 7093  | 6866  | 6871  | 6505  | 5928  | 4992  |
| 44    |       |          |       |       | 6490  | 6991  | 6735  | 6519  | 6170  | 5620  | 4728  |
| 46    |       |          |       |       | 6820  | 6649  | 6405  | 6199  | 5865  | 5340  | 4487  |
| 48    |       |          |       |       |       | 6337  | 6103  | 5906  | 5587  | 5083  | 4267  |
| 50    |       |          |       |       |       | 6050  | 5825  | 5637  | 5330  | 4848  | 4065  |
| 52    |       |          |       |       |       |       | 5570  | 5389  | 5094  | 4631  | 3879  |
| 54    | *     |          |       |       |       |       | 5334  | 5159  | 4876  | 4430  | 3707  |
| 56    |       |          |       |       |       |       | 5115  | 4947  | 4674  | 4244  | 3547  |
| 58    |       |          |       |       |       |       |       | 4749  | 4486  | 4071  | 3399  |
| 60    |       |          |       |       |       |       |       | 4565  | 4311  | 3910  | 3260  |
| 62    |       |          |       |       |       |       |       |       | 4147  | 3760  | 3131  |
| 64    |       |          |       |       |       |       |       |       | 3994  | 3619  | 3010  |
| 66    |       |          |       |       |       |       |       |       | 3850  | 3487  | 2897  |
| 68    |       |          |       |       |       |       |       |       |       | 3362  | 2790  |
| 70    |       |          |       |       |       |       |       |       |       | 3245  | 2689  |
| 72    |       |          |       |       |       |       |       |       |       |       | 2595  |
| 74    |       |          |       |       |       |       |       |       |       |       | 2505  |
| 76    |       | - 250 Kg |       |       |       |       |       |       |       |       | 2420  |

\* LOAD DIAGRAM FOR SPECIFIC EXERCISE TO ONE TROLLEY / DIAGRAMMA DI PORTATA PER ESERCIZIO SPECIFICO DI 1 CARRELLO

ULTRALIFT \_ALL INTERMEDIATE LOADS ARE DECREASED OF 10% IF THE CRANE IS NOT EQUIPPED WITH ULTRALIFT CONTROL / SENZA IL SISTEMA ULTRALIFT TUTTE LE PORTATE INTERMEDIE DIMINUISCONO IL CARICO DEL 10% / LES CHARGES INTERMEDIAIRES SONT DIMINUÉES DE 10% SI LA GRUE N'EST PAS ÉQUIPÉ D'UN CONTROLE ULTRALIFT / SIN EL SISTEMA ULTRALIFT LOS MISURA INTERMEDIOS DISMINUIR EL CARICO DEL 10% / БЕЗ ULTRALIFT ПРОМЕЖУТОЧНОЙ УМЕНЬШАЕТСЯ НА 10% НАГРУЗКИ.









MRT 263

HOISTING WINCH INVERTER - PERFORMANCES

MECCANISMI / MÉCANISMES / MECANISMOS / МЕХАНИЗМЫ

400 VOLT ± 5% - 50Hz \_DIRECTIVE 14/12 - 2005/88/CE

| HOISTING<br>WINCH<br>ARGANO                                                                                   | POWER<br>POTENZA<br>CV-ch<br>Ps-hp | ROPE<br>FUNE<br>m. | STEP<br>MARCIA | LOAD<br>CARICO<br>Kg. | SPEED<br>VELOCITÀ<br>m/min. | LOAD<br>CARICO<br>Kg. | SPEED<br>VELOCITÀ<br>m/min. |
|---------------------------------------------------------------------------------------------------------------|------------------------------------|--------------------|----------------|-----------------------|-----------------------------|-----------------------|-----------------------------|
| <br>12,0 T<br>rope Ø 16 mm   | 75 55 300<br>500 LB                |                    | 1              | 6000                  | 8                           | 12000                 | 4                           |
|                                                                                                               |                                    |                    | 2              | 6000                  | 24                          | 12000                 | 12                          |
|                                                                                                               |                                    |                    | 3              | 6000                  | 40                          | 12000                 | 20                          |
|                                                                                                               |                                    |                    | 4              | 3600                  | 64                          | 7200                  | 32                          |
|                                                                                                               |                                    |                    | 5              | 2500                  | 80                          | 5000                  | 40                          |
| <br>14,0 T<br>rope Ø 16 mm   | 75 55 300<br>500 LB                |                    |                | 0 – 1000 (*)          | 104 (*)                     | 0 – 2000 (*)          | 52 (*)                      |
|                                                                                                               |                                    |                    | 1              | 7000                  | 8                           | 14000                 | 4                           |
|                                                                                                               |                                    |                    | 2              | 7000                  | 24                          | 14000                 | 12                          |
|                                                                                                               |                                    |                    | 3              | 7000                  | 40                          | 14000                 | 20                          |
|                                                                                                               |                                    |                    | 4              | 3600                  | 64                          | 7200                  | 32                          |
| <br>16,0 T<br>rope Ø 16 mm | 75 55 300<br>500 LB                |                    | 5              | 2500                  | 80                          | 5000                  | 40                          |
|                                                                                                               |                                    |                    |                | 0 – 1000 (*)          | 104 (*)                     | 0 – 2000 (*)          | 52 (*)                      |
|                                                                                                               |                                    |                    | 1              | 8000                  | 8                           | 16000                 | 4                           |
|                                                                                                               |                                    |                    | 2              | 8000                  | 24                          | 16000                 | 12                          |
|                                                                                                               |                                    |                    | 3              | 8000                  | 40                          | 16000                 | 20                          |
| <br>14,0 T<br>rope Ø 16 mm | 100 73,5 700<br>LB                 |                    | 4              | 4000                  | 64                          | 8000                  | 32                          |
|                                                                                                               |                                    |                    | 5              | 2500                  | 80                          | 5000                  | 40                          |
|                                                                                                               |                                    |                    |                | 0 – 1200 (*)          | 104 (*)                     | 0 – 2400 (*)          | 52 (*)                      |
|                                                                                                               |                                    |                    | 1              | 7000                  | 8                           | 14000                 | 4                           |
|                                                                                                               |                                    |                    | 2              | 7000                  | 30                          | 14000                 | 15                          |
| <br>16,0 T<br>rope Ø 16 mm | 100 73,5 700<br>LB                 |                    | 3              | 7000                  | 52                          | 14000                 | 26                          |
|                                                                                                               |                                    |                    | 4              | 3750                  | 92                          | 7500                  | 46                          |
|                                                                                                               |                                    |                    | 5              | 2500                  | 136                         | 5000                  | 68                          |
|                                                                                                               |                                    |                    | 1              | 8000                  | 8                           | 16000                 | 4                           |
|                                                                                                               |                                    |                    | 2              | 8000                  | 30                          | 16000                 | 15                          |
| <br>16,0 T<br>rope Ø 16 mm |                                    |                    | 3              | 8000                  | 52                          | 16000                 | 26                          |
|                                                                                                               |                                    |                    | 4              | 4000                  | 92                          | 8000                  | 46                          |
|                                                                                                               |                                    |                    | 5              | 2500                  | 136                         | 5000                  | 68                          |
|                                                                                                               |                                    |                    |                |                       |                             |                       |                             |
|                                                                                                               |                                    |                    |                |                       |                             |                       |                             |

ABSORPTIONS / ASSORBIMENTI

62 kW

77 kW



SLEWING

0,26 / 0,48 / 0,7 min<sup>-1</sup>

4 X 4,8 kW

(\*) SPEED AUTOMATICALLY CONTROLLED BY A CURRENT SENSOR / VELOCITÀ REGOLATA AUTOMATICAMENTE DA SENSORE DI CORRENTE / VITESSE RÉGLÉE AUTOMATIQUEMENT PAR CAPTEUR DE COURANT / ACELERAR CONTROLADO AUTOMÁTICAMENTE POR UN SENSOR DE CORRIENTE / СКОРОСТЬ АВТОМАТИЧЕСКИ РЕГУЛИРУЕТСЯ ДАТЧИКОМ ТОКА



TROLLEY

13,0 / 37,0 / 59,0 / 74,0 (\*) m/min

6,6 kW



TRAVELLING

19 m/min

4 X 4 kW



MRT 263

PACKING LIST

LISTA DEI COLLI / LISTE DE COLISAGE / LISTA DE CONTENIDO / ВЕС И ГАБАРИТНЫЕ РАЗМЕРЫ

| DESCRIPTION<br>DENOMINAZIONE                                                                                                                                                                                                                                                                                                                                                                         | ITEM<br>POS. | PIECES<br>PEZZI | DRAWING<br>DISEGNO | DIMENSIONS<br>mm |       |       | WEIGHT<br>kg |       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------|--------------------|------------------|-------|-------|--------------|-------|
|                                                                                                                                                                                                                                                                                                                                                                                                      |              |                 |                    | L                | W     | H     | UNIT         | TOTAL |
| JIB ELEMENT / ELEMENTO DI FRECCIA /<br>ELÈMENT DE FLÈCHE / ELEMENTO DE<br>FLECHA / элемент стрелка                                                                                                                                                                                                                                                                                                   | 1            | 1 n. 1          |                    | 8,390            | 1,500 | 2,375 | 3022         | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 2          |                    | 6,109            | 1,500 | 2,301 | 1856         | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 3          |                    | 6,084            | 1,500 | 2,290 | 1580         | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 4          |                    | 6,135            | 1,500 | 2,290 | 1483         | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 5          |                    | 6,159            | 1,500 | 2,090 | 1198         | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 6          |                    | 6,109            | 1,500 | 2,090 | 1014         | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 7          |                    | 6,104            | 1,500 | 2,090 | 928          | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 8          |                    | 4,204            | 1,500 | 1,680 | 553          | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 9          |                    | 6,105            | 1,500 | 1,680 | 664          | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 10         |                    | 4,124            | 1,500 | 1,660 | 412          | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 11         |                    | 6,035            | 1,500 | 1,660 | 608          | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 12         |                    | 5,965            | 1,500 | 1,210 | 473          | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 13         |                    | 4,066            | 1,500 | 1,210 | 306          | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      |              | 1 n. 14         |                    | 5,920            | 1,500 | 1,210 | 391          | -     |
| JIB POINT / PUNTALE FRECCIA /<br>ELÈMENT POINTE / PUNTAL DE<br>FLECHA / наконечник стрелка                                                                                                                                                                                                                                                                                                           | 1            | 1               |                    | 0,900            | 1,530 | 1,385 | 92           | -     |
| EXTERNAL COUNTERJIB SECTION WITH HOISTING<br>WINCH, ELECTRICAL BOX. TERMINAL ELEMENT* /<br>ELEMENTO ESTERNO CONTROFRECCIA,<br>ARGANO SOLL., QUADRO ELETTR.,<br>PORTABLOCCHI* / CONTREFLÈCHE EXTÉRIEURE<br>PORTE TREUIL DE LEVAGE, ARMOIRE ELECTRIQUE,<br>ELÈMENT TERMINAL* / CONTRAFLECHA,<br>CABRESTANTE DE ELEVACIÓN, CUADRO<br>ELÉCTRICO / контрстрела лебедка,<br>электрические, блокодержатель* | 2            | 1               |                    | 7,745            | 2,290 | 2,395 | 4700         | -     |
|                                                                                                                                                                                                                                                                                                                                                                                                      | 3            | 1               |                    | 11,850           | 1,500 | 2,440 | 5100         | -     |
| SLEWING TABLE / GRUPPO GIREVOLE /<br>TABLE TOURNANTE / GRUPO GIRATORIO /<br>вращения                                                                                                                                                                                                                                                                                                                 | 4            | 1               |                    | 3,610            | 2,255 | 2,300 | 900          | -     |



MRT 263

PACKING LIST

LISTA DEI COLLI / LISTE DE COLISAGE / LISTA DE CONTENIDO / ВЕС И ГАБАРИТНЫЕ РАЗМЕРЫ

| DESCRIPTION<br>DENOMINAZIONE                                                                                                          | ITEM<br>POS. | PIECES<br>PEZZI | DRAWING<br>DISEGNO | DIMENSIONS<br>mm |       |       | WEIGHT<br>Kg        |            |
|---------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------|--------------------|------------------|-------|-------|---------------------|------------|
|                                                                                                                                       |              |                 |                    | L                | W     | H     | UNIT                | TOTAL      |
| SLEWING TABLE /<br>GRUPPO GIREVOLE /<br>TABLE TOURNANTE /<br>GIRATORIO /<br>вращения                                                  | 5            | 1               |                    | 2,300            | 3,150 | 1,900 | 6800                | -          |
| ACCESS BALCONY, CABIN /<br>BALLATOIO CABINA, CABINA /<br>PORTE CABINE / BALCÓN CORRIDO<br>CABINA, CABINA / площадка<br>кабины, кабина | 6            | 1               |                    | 3,450            | 1,600 | 2,240 | 861                 | -          |
| COUNTERWEIGHT BLOCK / BLOCCHI DI<br>CONTRAPESO / CONTRE-POIDS /<br>BLOQUES DE CONTRAPESO /<br>блоки противовеса                       | 7            | 6               |                    | A 294            | 0,295 | 1,490 | 2,570               | 2419 14514 |
|                                                                                                                                       |              | 5               |                    | B 294            | 0,210 | 1,490 | 2,570               | 1731 8655  |
| TOWER ELEMENT / ELEMENTO DI TORRE<br>ELÈMENT DE MATURE / ELEMENTO DE<br>TORRE / башенный элемент                                      | 8            | -               |                    | GR5S             | 5,90  | 2,300 | 2,300               | 3450 -     |
|                                                                                                                                       | 9            | -               |                    |                  | 2,95  | 2,300 | 2,300               | 1900 -     |
|                                                                                                                                       | 10           | -               |                    | GR6              | 5,00  | 2,325 | H 2,320<br>H1 2,300 | 3000 -     |
|                                                                                                                                       | 11           | -               |                    |                  | 6,000 | 2,325 | 2,320               | 5555 -     |
| BASE ELEMENT / ELEMENTO DI BASE /<br>MAT DE BASE / ELEMENTO DE BASE /<br>элемент основания                                            | 12           | 1               |                    |                  | 3,000 | 2,400 | 2,400               | 1950 -     |
| CLIMBING CAGE / GABBIA DI<br>MONTAGGIO / CAGE DE MONTAGE /<br>JAULA DE MONTAJE /<br>монтажная клеть                                   | 13           | 1               |                    |                  | 8,530 | 3,100 | 2,300               | 7670 -     |
| EXPENDABLE FOUNDATION ELEMENT /<br>TRONCHETTO DI FONDAZIONE / ELÈMENT<br>A SCELLER / TRONCO DE FUNDACIÓN /<br>ствол основания         | 14           | 1               |                    |                  | 1,820 | 2,400 | 2,400               | 1370 -     |
| FIXING ANGLES / GAMBE DI FONDAZIONE /<br>PIEDS DE SCELLEMENT / PATAS DE<br>FUNDACIÓN / ножки основания                                | 15           | 4               |                    |                  | 1,820 | 0,470 | 0,470               | 280 1120   |



# MRT 263

PACKING LIST

LISTA DEI COLLI / LISTE DE COLISAGE / LISTA DE CONTENIDO / ВЕС И ГАБАРИТНЫЕ РАЗМЕРЫ


| DESCRIPTION<br>DENOMINAZIONE                                                                                                                                           | ITEM<br>POS. | PIECES<br>PEZZI | DRAWING<br>DISEGNO | DIMENSIONS<br>mm |       |       | WEIGHT<br>Kg |       |   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------|--------------------|------------------|-------|-------|--------------|-------|---|
|                                                                                                                                                                        |              |                 |                    | L                | W     | H     | UNIT         | TOTAL |   |
| OBLIQUAL LEGS /<br>PUNTONI DI BASE / JAMBES<br>DE FORCE / CABRIOS DE BASE /<br>СТОЙКИ ОСНОВАНИЯ                                                                        | 16           | 4               |                    | 3,770            | 0,230 | 0,260 | 340          | 1360  |   |
| BASE MAIN BEAM / TRAVE PRINCIPALE<br>CROCIERA DI BASE / POUTRE DE CHASSIS<br>DE BASE / VIGA PRINCIPAL DE LA CRUCETA<br>DE BASE / главная балка крестовины<br>ОСНОВАНИЯ | 17           | 1               |                    | 8,900            | 0,720 | 0,760 | 1650         | -     |   |
| HALF BASE BEAM / SEMITRAVE DI<br>BASE / SEMIPOUTRE DE CHASSIS<br>DE BASE / MEDIA VIGA DE LA CRUCETA<br>DE BASE / полубалка крестовины<br>ОСНОВАНИЯ                     | 18           | 2               |                    | 4,350            | 0,600 | 0,760 | 750          | 1500  |   |
| DRIVEN BOGIE / BILANCINO TRASLAZIONE<br>MOTORIZZATO / BOGGIE MOTORISÉE /<br>BALANCÍN DE TRASLACIÓN MOTORIZADO /<br>приводной балансир<br>горизонтального перемещения   | 19           | 4               |                    | 1,750            | 0,705 | 0,790 | 1000         | 4000  |   |
| BASE BALLAST BLOCK / BLOCCO DI<br>ZAVORRA / LEST DE BASE / BLOQUE DE<br>LASTRE / блок балласта                                                                         | 20           | -               |                    | 3G               | 4,200 | 0,320 | 1,400        | 3,230 | - |
|                                                                                                                                                                        |              | -               |                    | 3H               | 5,200 | 0,400 | 1,400        | 6240  | - |



# MRT 263

EXTERNAL CLIMBING

SOPRALZO IDRAULICO / TELESOPABLE / ELEVACIÓN HIDRÁULICA / ГИДРАВЛИЧЕСКОЕ НАРАЩИВАНИЕ





# MRT 263

NOTE



[ MRT 263 \_REV. \_0413 ] ADL / TECHNICAL DEPARTEMENT

THE DATA OBJECT OF THESE SHEETS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE / I DATI OGGETTO DELLE PRESENTI SCHEDE POTREBBERO SUBIRE MODIFICHE SENZA PREAVVISO / LES INFORMATIONS DONNÉES DANS LES PRÉSENTES FICHES POURRAIENT SUBIR DES MODIFICATIONS SANS PRÉAVIS / LOS DATOS CONTENIDOS EN ESTE FORMULARIO ESTÁN SUJETAS A CAMBIOS SIN PREVIO AVISO / ДАННЫЕ, УКАЗАННЫЕ В НАСТОЯЩИХ СПЕЦИФИКАЦИЯХ, МОГУТ ИЗМЕНЯТЬСЯ БЕЗ ПРЕДВАРИТЕЛЬНОГО ПРЕДУПРЕЖДЕНИЯ.