




SKYLIFT


***MINI-DERRICK
33 PLUS***



**Ph. 440-960-2100
Fax 440-960-2104
www.skyliftus.com**







- **FITS THRU GATES! - 34.5" WIDE**
- **42 FOOT REACH**
- **INSULATED BOOM**
- **4,000 POUND CAPACITY**
- **PATENTED HYDRAULIC JIB**
- **PIN-ON BUCKET**
- **RADIO CONTROLS**
- **WHEEL OR TRACK DRIVE**
- **DIESEL POWER**
- **SETS 55 FOOT POLES**
- **HYDRAULIC POLE GUIDES**
- **TRAILER INCLUDED**





TECHNICAL SPECIFICATIONS



MINI-DERRICK 33 PLUS

BASE	High Strength Steel Construction
WHEELS	4 Hydraulic - Powered (Soft Tire)
POWER SOURCE	23 HP Kubota Diesel
PUMP	8 - 10 G.P.M.
HYDRAULIC TANK	10 Gallon
FUEL TANK	8 Gallon w/ Side Fill & Gauge
MAX. OPERATING PRESSURE	2750 PSI
STEERING	Hydraulic/Non-Skid
HOSE	2-Wire Braided / Nylon
TUBE SECTION	Three - 2 Steel, 1 Fiberglass
MAIN BOOM	High Strength Steel
EXTENSION BOOMS	Steel/Fiberglass
MAIN GEAR	Shear Ball Bearing
ROTATION	540 degree/High Strength Bearing
CONTROLS	Full Pressure
STABILIZERS	4 Outrigger/Hybrid Design Radial Type
ELEVATION	-10 to +80
SHEAVE HEIGHT	33 ft. / 41 ft.
CAPACITY	4000 lbs.
TRAILER	12000 lb. GVW Tandem Axle

OPTIONAL EQUIPMENT

- **RADIO REMOTE FOR BOTH DRIVE AND BOOM CONTROLS**
- **HYDRAULIC POLE GUIDE**
- **HYDRAULIC JIB / 8 FT. ADDITIONAL BOOM**
- **SINGLE MAN BASKET WITH BRAKE**
- **TWO SINGLE MAN BASKETS**
- **110 VOLT 1500 WATT INVERTER WITH OUTLETS**

Call for Special Requests!