View thousands of Crane Specifications on FreeCraneSpecs.com

SKYLIFT


PATRIOT★40/50



Ph. 440•960•2100
Fax 440•960•2104
www.skyliftus.com

View thousands of Crane Specifications on FreeCraneSpecs.com












- Low ground pressure
- Ultra light design
- Tow behind line truck
- Low operating costs



View thousands of Crane Specifications on FreeCraneSpecs.com







- Low ground pressure
- Ultra light design
- Tow behind line truck
- Low operating costs






View thousands of Crane Specifications on FreeCraneSpecs.com

PATRIOT★40/50 TECHNICAL SPECIFICATIONS

CRAWLER CARRIER	Morooka MST-600VD
ENGINE	76 H.P. Diesel
SPEED	7.5 M.P.H.
WIDTH	77"
GROUND PRESSURE	5 PSI
DIGGER DERRICK	SKYLIFT 40/50
HEIGHT	9 FT
WEIGHT	15,880 / 18,680 LBS
LIFT CAPACITY	6000 LB
SHEAVE HEIGHT	40/50 FT
BOOM INSULATION	46 KV Category C
BOOM EXTENSION	Full Hydraulic
WINCH	Planetary
BOOM ROTATION	Continuious
CONTROLS	Full Pressure AT Command Console
AUGER	18" Bullet Tooth
AUGER TORQUE	5,800/10,500 FT LBS.

PATRIOT 50 WORK LOAD CHART

Full 360° Work Zone



OPTIONAL EQUIPMENT

- CAN HANDLER - JIB / WINCH
- HYDRAULIC HOSE REEL FOR TOOLS
- ELECTRIC OR HYDRAULIC RECOVERY WINCH
- HYDRAULIC OVERLOAD PROTECTION
- BELTPACK RADIO REMOTE FOR BOOM CONTROLS W/ START STOP
- HYDRAULIC POLE GUIDES
- HYDRAULIC JIB / 8 FT ADDITIONAL BOOM
- BOOM OVERSTOW SWITCH
- TWO SINGLE MAN BASKETS WITH DUAL BUCKET HANGER.
- HYDRAULIC FRONT BLADE
- HIGH / LOW TWO SPEED THROTTLE
- DECK BUCKET STORAGE PLATFORM
- TRAILER / 18,000 LB G.V.W.R. TANDEM AXEL

SKYLIFT

3000 Leavitt Rd. Lorain, Ohio 44052
Ph.440-960-2100 Fax 440-960-2104