



SKYLIFT

MINI-DERRICK SUPER 6000

NEW LOW-PRO

**Ph. 440-960-2100
Fax 440-960-2104
www.skyliftus.com**



**FITS THRU
36" GATES!**





Can Handler/Jib Winch



Integrated Bed 3000 lb. Cap.



Pole Guide



Operator Platform

**Lowest Clearance Height in Industry
Fits Under 7 feet!**





Climbing A Muddy Hill Using The Wireless Remote Control



**40/48 Foot Reach
Sets 55 Foot
Poles**



Carrying pole



Heavy Duty Auger



**State of the Art
Belt Pack Radio Controls**



**Pin on
Bucket!
NEW
Increased
Capacity
350lbs.**




MINI-DERRICK SUPER 6000 LOW PRO TECHNICAL SPECIFICATIONS

BASE
DRIVE
TRACKS
TRACK ALARMS
ENGINE
PUMP
HYDRAULIC TANK
MAX OPERATING PRESSURE
BOOM ASSEMBLY
INSULATION
WORK ZONE
STABILIZERS
OUTRIGGER SAFETY
ROTATION
CONTROLS
SHEAVE HEIGHT
AUGER DRIVE
CAPACITY
WINCH
MATERIAL HANDLING
AUXILIARY POWER
POLE CARRIERS
WORK LIGHTS

High Strength Steel Construction
2 Speed Planetary Reduction
Hydraulic Extension, Rubber Construction
Audible Alarms on Tracks / Extend - Retract
32 H.P. Turbo Diesel
15 G.P.M. Gear Design
21 Gallon
2900 PSI
3 Section All Hydraulic Extension
46 KV Category C / Fiberglass Boom
Non Restricted
Outriggers / Hybrid Design - Radial Type
Outrigger Safety Interlocks
440 Degree / High Strength Bearing
Full Pressure / Radio Remote
40 FT. / 48 FT.
5800 LB.-FT with 18" Diameter Auger
6000 LBS.
Planetary / Plasma Rope
Integrated Bed 3000 LB. Capacity
Hydraulic Tool Circuit at Ground
Dual Sided
Set of (2) Two

MINI-DERRICK S-6000 WORK LOAD CHART



OPTIONAL EQUIPMENT

- CAN HANDLER - JIB / WINCH
- HYDRAULIC HOSE REEL FOR TOOLS
- ELECTRIC RECOVERY WINCH
- HYDRAULIC OVERLOAD PROTECTION
- CONTINUOUS ROTATION
- BELTPACK RADIO REMOTE FOR BOTH DRIVE AND BOOM CONTROLS W/ START & STOP
- STOP HYDRAULIC POLE GUIDES
- HYDRAULIC JIB / 8 FT ADDITIONAL BOOM
- BOOM OVERSTOW SWITCH
- SINGLE MAN BUCKET WITH REVERSABLE HANGER. **350 LB. CAPACITY W/ LINER**
- TWO SINGLE MAN BASKETS WITH DUAL BUCKET HANGER.
- TRAILER / 18,000 LB GVWR TANDEM AXEL W/ ELECTRIC OR AIR BRAKES

Call for Special Requests!



3000 Leavitt Rd. Lorain, Ohio 44052
Ph.440-960-2100 Fax 440-960-2104