






50 ton. x m.
REV.1 05/2011



STABILIZZATORE FISSO
fixed stabilizator

STABILIZZATORE REGOLABILE
regolable stabilizator

TRONCHETTO DI FONDAZIONE
expendable foundation element





Top Gru Machine



GRT 40-100







CE - FEM 1,001 A3

50 ton. x m.
REV. 1 05/2011

DIAGRAMMA DI PORTATA LOAD DIAGRAM LASTKURVEN COURBES DE CHARGES CURVAS DE CARGAS

m.	Portata max - Max s.w.l. - Charge maxi																2,0 t	
40	17	18	20	21	22	23	24	25	26	28	30	32	34	35	38	40	m.	
	2,00	2,00	2,00	2,00	1,93	1,83	1,75	1,68	1,61	1,48	1,37	1,28	1,19	1,16	1,05	1,00	t	
35	17	18	20	21	22	23	24	25	26	28	30	32	34	35			m.	
	2,00	2,00	2,00	2,00	2,00	2,00	1,99	1,90	1,82	1,68	1,56	1,45	1,36	1,35			t	
28,5	17	18	20	21	22	23	24	25	26	28,5							m.	
	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	1,92	1,75							t	
23	17	18	20	21	22	23											m.	
	2,00	2,00	2,00	2,00	2,00	2,00											t	
17	17																m.	
	2,00																t	

TORRE/REAZIONI TOWER/REACTIONS TURM/REAKTIONEN TOUR/REACTIONS MASTIL/REACCIONES





Top Gru Machine



GRT 40-100

CE - FEM 1,001 A3

50 ton. x m.
REV. 1 05/2011

MECCANISMI MECHANISMS GETRIEBE MÉCANISMES MECANISMOS

	giri/min	m/min	Nm	Kw
	1,02	–	35	-
	–	20/40	–	1,5
	–	–	–	1,8

				marcia - step vitesse - gang velocidades		
	CV - ch PS - hp	KW			m/min	(t)
8 3S 20	12	8,8	90	1 2 3	5,5 22 44	2 2 1

Potenza totale richiesta Total installed power Geforderte Stromstärke Puissance totale nécessaire Potencia necesaria	8 3S 20 - 16kVA	400 V - 50 Hz
--	-----------------	---------------

MONTAGGIO ASSEMBLY VERSAMMLUNG MONTAGE ASAMBLEA

1 B 3.4x3.4m Tot. 1604 Kg. B 2.8x2.8m Tot. 1427 Kg. 	2 5.9 / 985 Kg. 3.6 / 600 Kg. 2.4 / 460 Kg. 	3 B 28-09 / 2000 Kg.
1925 Kg. 795 Kg. 	2720 Kg. 	5 N°1 "A960" (960 Kg.)
1925 Kg. 795 Kg. 	2720 Kg. 	6 2576 Kg. (40 m.)
4a	4b	



Top Gru Machine



GRT 40-100



50 ton. x m.
REV. 1 05/2011

LISTA DEI PESI PACKING LIST KOLLI-LISTE LISTE DE COLLISAGE LISTA DE PESOS

Pos. Item	Pezzi Pieces	Denominazione Description		Schizzo Sketch	Dimensioni Dimensions			Peso Weight (Kg)			
					L	W	H	Unit.	Total.		
1	1	Elemento di freccia Jib element Ausleger Elément de flèche Elemento de flecha	N°0			5.985	0.790	2.040	683	683	
	1		N°1			5.985	0.790	1.930	410	410	
	1		N°2			5.985	0.790	1.190	364	364	
	1		N°3			5.985	0.790	1.190	321	321	
	1		N°4			5.985	0.790	1.190	297	297	
	1		N°5			5.985	0.790	1.190	263	263	
	1		N°6			5.860	0.790	1.190	238	238	
2	1	Gruppo Controfreccia girevole Group Counterjib-turntable Groupe Gegenausleger Groupe Contreflèche tournante Contreflecha giratorio			3.75	1.705	2.3	1925	1925		
3	1	Elemento controfreccia esterno External counterjib Externes Gegenausleger Contreflèche extérieure Elemento de contreflecha externo			6.9	0.875	1.23	795	795		
4	8	Blocchi di contrappeso Counterweight block Gegengewichtsblöcke Contre-poids Bloques de contrapeso			A 960	1.30	0.185	2.50	960	7680	
5	1	Elemento di torre Tower element Turmstück Elément de mature Elemento de torre			5.9 3.6 2.4	1.11 1.11 1.11	1.11 1.11 1.11	985 600 460	985 600 460		
6	1	Tronchetto di fondazione Expendable foundation element Fundamentanker Elément a sceller Tronco de foundation			1,075	1,11	1,11	334	334		
7	1	Trave principale di base Base main beam Hauptträger für Kreuzgelenk Poutre de chassiss de base Viga principal de la base			(2,8x2,8m) (3,4x3,4m)	4.16 5.01	2.4 2.4	0.605 0.605	1083 1154	1083 1154	
	2	Semi-trave di base Half base beam Hauptträger für Kreuzgelenk Semipoutre de chassiss de base Mediaviga de la base			(2,8x2,8m) (3,4x3,4m)	1.15 1.575	0.3 0.3	0.49 0.49	172 225	344 450	
8	24	Blocco di zavorra Base ballast block Grundballastblöcken	(B28-09)			(2,8x2,8m)	2.800	0.900	0.360	2000	48000
	22	Lest de base Bloque de lastre				(3,4x3,4m)	2.800	0.900	0.360	2000	44000
9	4	Blocco di appoggio Concrete pad Betonfuss Sabot en béton Bloque de apoyo	(BA 2)			2.400	0.450	0.450	1000	4000	

www.comunicarte.eu

T.G.M. by Top Gru Machine srl

www.tgmgru.com

Sede legale: via Baraggia 9, ang. SP. 28
Unità locale produttiva: via Piccinelli 2
c.f./p.iva/Reg. Impr. Como 03290830136

22100 Como - Albate (CO)
22076 Mozzate (CO)
cap. soc. € 100.000,00 i.v.

tel. +39 031 594 751
tel. +39 0331 837 266
REA CO n. 306478

fax +39 031 520 815
fax +39 0331 688 063
info@tgmgru.com