




TEREX | COMEDIL

Gru a torre “Flat Top”

“Flat Top” Tower Crane • Grue à tour “Flat Top”

“Flat Top” Turmdrehkran • Grúa torre “Flat Top”



FEM 1.001 A3

THE **ULTIMATE** CRANE™

Dati illustrativi non impegnativi
Con riserva di modifica senza preavviso

Angaben und Beschreibung unverbindlich
Änderungen vorbehalten ohne weitere Mitteilung

Specifications and data not binding
Subject to modification without notice

Dibujos y datos sin compromiso
Modificaciones reservadas sin preaviso

Données techniques seulement indicatives
Modifications réservées sans préavis

UTE.DOC. REV.004

“CTT” CTT 141-8 TS





TEREX | COMEDIL

CTT 141-8

Diagramma di portata	I	Courbes de charges	F	Curvas de cargas	E
Load Diagram	GB	Lastkurven	D		

CTT 141-8															
				m	10	15	20	25	30	35	40	45	50	55	60
4 t	-	28.36	m	t	4	4	4	4	3.75	3.13	2.67	2.31	2.02	1.79	1.6
4 t	-	27.61	m	t	4	4	4	4	3.62	2.99	2.53	2.17	1.88	1.64	1.45
8 t	-	15.22	m	t	8	8	5.85	4.5	3.62	2.99	2.53	2.17	1.88	1.64	1.45
4 t	-	32.06	m	t	4	4	4	4	4	3.61	3.09	2.69	2.36	2.1	
4 t	-	31.16	m	t	4	4	4	4	4	3.48	2.95	2.54	2.22	1.95	
8 t	-	17.14	m	t	8	8	6.71	5.19	4.18	3.48	2.95	2.54	2.22	1.95	
4 t	-	34.66	m	t	4	4	4	4	4	3.96	3.39	2.95	2.6		
4 t	-	33.64	m	t	4	4	4	4	4	3.81	3.24	2.8	2.45		
8 t	-	18.47	m	t	8	8	7.31	5.66	4.58	3.81	3.24	2.8	2.45		
4 t	-	36.14	m	t	4	4	4	4	4	4	3.56	3.1			
4 t	-	35.04	m	t	4	4	4	4	4	4	3.41	2.95			
8 t	-	19.23	m	t	8	8	7.65	5.93	4.8	4.01	3.41	2.95			
4 t	-	36.51	m	t	4	4	4	4	4	4	3.6				
4 t	-	35.37	m	t	4	4	4	4	4	4	3.45				
8 t	-	19.4	m	t	8	4	7.73	6	4.86	4.05	3.45				
4 t	-	35	m	t	4	4	4	4	4	4					
8 t	-	20.19	m	t	8	8	8	6.28	5.09	4.25					
4 t	-	30	m	t	4	4	4	4	4						
8 t	-	20.22	m	t	8	8	8.1	6.29	5.1						

Altre installazioni	I	Autres implantations	F	Otras implantaciones	E
Other configurations	GB	Aufstellmöglichkeiten	D		






 **TEREX** | COMEDIL


CTT 141-8

Torre I	Tower GB	Tour F	Turm D	Torre E
I Le prolunghe TS sono disponibili in lunghezze 11.8 m (solo TS16), 5.9 m, 2.95 m.	GB The available lengths for the TS tower sections are 11.8 m (only TS16), 5.9 m, 2.95 m.	F Les éléments de mât TS sont disponibles en longueur 11.8 m (seulement TS16), 5.9 m, 2.95 m.	D Die Turmschüsse TS sind mit Längen 11.8 m (nur TS16), 5.9 m, 2.95 m verfügbar.	E Los tramos de torre TS son disponibles en las medidas de largo 11.8 m (sólo TS16), 5.9 m, 2.95 m.

TS16



TS21





 **TEREX** | COMEDIL

CTT 141-8

Meccanismi	I	Mécanismes	F	Mecanismos	E
Mechanisms	GB	Antriebe	D		

		
70 * kVA	400 V - 50 Hz / 460 V - 60 Hz	2000/14/CE

* Gru senza traslazione / Crane without travelling equipment / Grue sans translation / Krane ohne Schienenfahren / Grúa sin traslación

			m/min	↑	kW	
	30 AFC 40 (VARIANT)		0 ⇌ 3	4	30	278 m
			3 ⇌ 10	4		
			10 ⇌ 41	4		
			41 ⇌ 66	2.38		
			66 ⇌ 82	1.86		
			0 ⇌ 1.5	8		350 m (LEBUS)
			1.5 ⇌ 5	8		
			5 ⇌ 20.5	8		
			20.5 ⇌ 33	4.76		
			33 ⇌ 41	3.72		

	DVF 3 5 D1 (VARIANT)	0 ⇨ 6 ⇨ 32 ⇨ 64 m/min		5 kW
	SSR 2 2 65	0.7 r.p.m. (50 Hz)	0.84 r.p.m. (60 Hz)	2 × 65 Nm
	▲ TAD 2RP 2M4	0 - 24 m/m in		2 × 4 kW
	● TAD 2RG 4M3			4 × 3 kW
				

	▲	●
	Max. H [m]	
T ₂ -T ₄	38.8	> 38.8
T ₃	39.1	> 39.1

	Sollevamento	I	Hoisting	GB	Levage	F	Heben	D	Elevación	E
	Traslazione carrello		Trolleying		Distribution		Katzfahren		Distribución	
	Rotazione		Slewing		Orientation		Schwenken		Orientación	
	Traslazione		Travelling		Translation		Schienenfahren		Traslación	
	Direttiva sul livello acustico		Directive on noise level		Directive sur le niveau acoustique		Richtlinie für den Schall-Leistungspegel		Directiva sobre el nivel acustico	
	Consultateci		Consult us		Nous consulter		Auf Anfrage		Consultarnos	
	Potenza totale richiesta		Power requirements		Puissance totale nécessaire		Geforderte Stromstärke		Potencia necesaria	
	Alimentazione		Power supply		Alimentation		Stromversorgung		Alimentación	

Gru Comedil s.r.l.

A Terex Company



Divisione Automontanti

Via S. Egidio 42/A, 33074 Fontanafredda (PN) - Italy
Tel. (+39) 0434 567 311 - Telefax (+39) 0434 998631

Internet e-mail: info@comedil.com
Internet home page: www.comedil.com

Via Alessandrina, 25 - 20095 Cusano Milanino (MI) - Italy
Tel. (+39) 02 613 16011 - Telefax (+39) 02 613 16034

Internet e-mail: info.CBR@comedil.com