



20 TRX



VALLA 20 TRACKED CRANE MAX. CAPACITY **Kg.2.000**



ELECTRIC BATTERY POWERED

CRANE FRAME: fabricated from preformed and welded steel plate. Standard carry deck

TRACTION: electric motor AC 12 kW – 48 V

TRANSMISSION: automatic, hydrostatic. Max speed 2 km/h.

TRACKED UNDERCARRIAGE: rubber tracks

HYDRAULIC SYSTEM: gear pump, electric proportional distributor with remote control, filter, safety valves on all boom operations. Max Hydarulic pressure 200 Bar.

BOOM: 1 fixed, 1 hydraulically telescoping section and 1 manually telescoping. Adjustable nylon wear pads on the sides.

LMI: Electronic Load Moment Indicator. Display showing lifted load, max allowed load, tilting percentage, operating radius, angle, telescope and light indicators on the operative mode.

TOTAL WEIGHT: approx. kg. 2.100

MAX. CAPACITY: kg. 2.000

Options on request: man bucket, radio remote control, hydraulic winch, hydraulic chain hoist, manual jib extension, non-marking tracks.



DIESEL POWERED

CRANE FRAME: fabricated from preformed and welded steel plate. Standard carry deck

ENGINE: Diesel HP 16,5 – 4 Cylinders, water cooled

TRANSMISSION: automatic, hydrostatic. Max speed 2 km/h.

TRACKED UNDERCARRIAGE: rubber tracks

HYDRAULIC SYSTEM: gear pump, electric proportional distributor with remote control, filter, safety valves on all boom operations. Max Hydarulic pressure 200 Bar.

BOOM: 1 fixed, 1 hydraulically telescoping section and 1 manually telescoping. Adjustable nylon wear pads on the sides.

LMI: Electronic Load Moment Indicator. Display showing lifted load, max allowed load, tilting percentage, operating radius, angle, telescope and light indicators on the operative mode.

TOTAL WEIGHT: approx. kg. 1.900


MAX. CAPACITY: kg. 2.000

Options on request: man bucket, radio remote control, hydraulic winch, hydraulic chain hoist, manual jib extension, non-marking tracks.



20 TRX

The VALLA mobile crane mod. 25 E
complies with the following standards:
-2006/42/CE
-UNIEN13000
-I.S.P.E.S.L.



Data subject to be changed without any previous notice. Pictures may differ from technical description.

Sede Legale:
Via Emilia Loc. Favorita - 29010 Roveleto di Cadeo (PC) – Italy
MANITEX INTERNATIONAL Inc. Group




Sede Operativa:
Via Piacenza, 45 – 29010 Calendasco – Piacenza – ITALIA
Tel. +39 0523 762025 – 762004 – Fax +39 0523 760531
Internet: www.valla.com – email: info@valla.com





20 TRX

The VALLA mobile crane mod. 25 E
complies with the following standards:
-2006/42/CE
-UNIEN13000
-I.S.P.E.S.L.



Data subject to be changed without any previous notice. Pictures may differ from technical description.

Sede Legale:
Via Emilia Loc. Favorita - 29010 Roveleto di Cadeo (PC) – Italy
MANITEX INTERNATIONAL Inc. Group



Sede Operativa:
Via Piacenza, 45 – 29010 Calendasco – Piacenza – ITALIA
Tel. +39 0523 762025 – 762004 – Fax +39 0523 760531
Internet: www.valla.com – email: info@valla.com





20 TRX

The VALLA mobile crane mod. 25 E
complies with the following standards:
-2006/42/CE
-UNIEN13000
-I.S.P.E.S.L.



Sede Legale:
Via Emilia Loc. Favorita - 29010 Roveleto di Cadeo (PC) – Italy
MANITEX INTERNATIONAL Inc. Group



Sede Operativa:
Via Piacenza, 45 – 29010 Calendasco – Piacenza – ITALIA
Tel. +39 0523 762025 – 762004 – Fax +39 0523 760531
Internet: www.valla.com – email: info@valla.com